Virtual USA A National Technical & Cultural Shift in Information Sharing



The National Problem

- 1. Inability to seamlessly <u>share information</u> and <u>collaborate</u> in *real time*
 - Contributed to Hurricane Katrina problems
 - Inhibits protection, prevention, response, mitigation and recovery
- 2. Cultural behavior among jurisdictions impedes sharing of information

3. Incompatible communication and information sharing systems at all levels of government

The National Solution – Virtual USA

- 1. Technology Agnostic Platforms
- 2. Resilient & Redundant Technological Infrastructure
- **3. Appropriate Governance Structure**
- 4. Preservation of & Respect for Information Origins

Making Information Actionable To Enable Collaboration



vUSA Model #1: VIPER

- Uses ESRI
- A common incident based operations platform that integrates disparate GIS and data sets to enable seamless information sharing and collaboration among relevant stakeholders when needed
- Available to all VA government agencies and citizenry
- https://cop.vdem.virginia.gov/viper

Virginia's Problem

 Vital sensors and systems were not part of a unified common operating picture.

• Their GIS could not keep up with the fluid demands of an operations environment.

MORE PROACTIVE - LESS REACTIVE

Virginia's Solution: VIPER


1) Unite real-time systems with GIS

2) Present only what matters most

INTEROPERABILITY & REPORT BY EXCEPTION


COP of Virginia – Multiple Events Occurring






VIPER Data Aids Decision Making (early warning notifications)






TS Danny






Weather watches/warnings and real time data as reported






Near real time data w/ static GIS display





Local Situation Reports







WebEOC

2009-08 Virginia Daily Activity

.Other Events

Add Ev	ent					
Dataid	Event Date/Time	Event Type	Jurisdiction	Status	Details / Map	Update
2691	07/29/2009 15:48:42	Suspicious Activity		Open	Detail	Update
2703	07/30/2009 14:51:54	Transportation Incident - Private Aircraft	York County	Open	Detail	Update
<u>2724</u>	08/21/2009 05:31:27	Infrastructure Failure - Water Supply	Covington City	Open	Detail	s version="2.0">
<u>2859</u>	08/21/2009 11:47:07	Event Not Otherwise Specified	Louisa County	Open	Detail	channel> - <item></item>
2853	08/20/2009 23:15:18	Suspicious Activity	Chesapeake City	ten	Detail	<eventtype> <title>2724:I</td></tr><tr><td>2864</td><td>08/21/2009 12:44:49</td><td>Damaging Weather Event Local</td><td>Bristol City</td><td><u>o</u>r</td><td>Detail</td><td>- <description
Exercise C</td></tr><tr><td>2874</td><td>08/21/2009 12:37:26</td><td>Weather Event (Pre Occurrence Watch/Warning)</td><td>Fairfax County</td><td>Closed</td><td>Detail</td><td>OFFLINE
EMERGEN</td></tr><tr><td>2873</td><td>08/21/2009 10:58:22</td><td>Tropical Storm</td><td>Richmond City</td><td>Closed</td><td>Detail</td><td>CARSON
VDEM, O</td></tr><tr><td>2872</td><td>08/20/2009 23:04:33</td><td>Hurricane Readiness Condition III Setting</td><td></td><td>Closed</td><td></td><td>SHORTAG
COVINGT</td></tr><tr><td>2871</td><td>08/20/2009 19:14:07</td><td>Weather Event (Pre Occurrence Watch/Warning)</td><td>Patrick County</td><td>Closed</td><td>Deta</td><td>HOLDNG
WILL RES</td></tr><tr><td>2870</td><td>08/20/2009 17-22-12</td><td>Weather Event (Pre Occurrence Watch/Warning)</td><td></td><td>Closed</td><td>Detail</td><td></description</td></tr></tbody></table></title></eventtype>





em> <eventtype>Infrastructure Failure - Water Supply</eventtype>

title>2724:Infrastructure Failure - Water Supply</title>

Exercise COVINGTON PD REPORTED THAT A VALVE FAILED AT THE WATER FOLTRATION FACILITY ON 8.2. FACILITY IS NOW OFFLINE. RESIDENTS HAVE BEEN REQUESTED TO CONSERVE WATER. IF NOT REPARED MAY RUN OUT OF WATER BY THIS EVENING. LOCAL ENERGENCY HAS NOT BEEN DECLARED BUT MAY BE DECLARED LATER. IN DAY. PRESS RELEASE FAXED TO VEOC.. RCVD CALL FROM CATHY CARSON W. COVINGTON PD 540-965-633..NOTIFED T BROWN NOTIFED G WILLS...INFO FORWARDED TO S CRUGGER 7:0-00 MALL SENT TO SR VDEM, OPS, S CRIGGER 16-42 SENT SIG EVENT REGION 6 COORD STAN CRIGGER IS ENROUTE TO COVINGTON TO ASSIST WITH WATER SHORTAGE CAUSED BY A VALVE FALLURE ON THE EVE OF AUG 2, AT THE CITY'S WATER FILITRATION PLANT 1647 RCVD LOCAL SITERP FROM COVINGTON PRIMARY INFOAs of 1630 hrs on Aug 3, 2009, the water filmation plant has been restored to approximately 50% of its operating capacity. Repairs will continee over the next 24-48 hrs in order to bring the filtration and pumping systems back to full capacity. 18:20 RCVD CALF RCND TAIN CRIMER PUMPS ARE HOLDING AT 50% AND ARE EXPECTED MAINT THAT LEVEL THROUGHT THE EVENING. S. CRIGGER WILL BE GOING HOME TONIGHT AND WILL RESPOND TO COVINCTION TOM MANNOW. SIG EVENT SENT

<pubDate>Last Update: 8/21/2009 6:27:53 PM</pubDate>

<status>Open</status> <entrydate>

Last Update: Last Update: 8/21/2009 6:27:53 PMStatus: Open, ID:2724, Name:Infrastructure Failure - Water Supply

</entrydate> <geo:lat>37.809799</geo:lat>

<geo:long>-79.987938</geo:long>

</item> = <item>

<eventtype>Suspicious Activity</eventtype>

<title>2853:Suspicious Activity</title>

- <description>


Exercise RCVD NRC # 915226 SECURITY BREACH PURDUE FARMS INC 501 BARNS ROAD CHESAPEAKE VA PORT FACILITY DESCRIPTION OF INCIDENT AN INDIVIDUAL DISEMBARKED THE VESSEL AND HAD AN ESCORT ON THE PIER. THE ESCORT LEFT THE INDIVIDUAL THERE AND DEPARTED THE FACILITY. THE INDIVIDUAL DID NOT CALL THE ESCORT AS HE SHOULD HAVE AND LEFT THE PIER. ACTIONS: FWED NRC RPT TO VFC 23.25 ALERTED SDO T. BROWN 23.27 T. BROWN ACKED 23.35 FAXED VSP DIV 5




< > - C 🔀 🏠 🔝 https://cop.vdem.virginia.gov/viper/	🧟 - Live Search	🔎 _ 8 >	×				
Virginia Interoperability Picture for Emergency Response	24:Infrastructure Failure - Water Supply	o Grater 10					
VDEM VIPER v.4 powered by ESRI ArcGIS	Current Action: description: Exercise	000					
	COVINGTON PD REPORTED THAT A VALVE	TICKS				7	
	FAILED AT THE WATER FOLTRATION FACILITY ON 8/2FACILITY IS NOW		osoft Excel - Book1 e Edit View Insert Format Tools Data	Madau, Mala		Type a gy on for help	
Cumberland	OFFLINERESIDENTS HAVE BEEN REQUESTED TO CONSERVE WATERIF	DEPOID		<u>window</u> <u>H</u> eip <i>∢</i> <i>s</i> - (2 -) ⊗ Σ - 2 ↓ <i>X</i> ↓ μμ <i>4</i> β @	Arial • 10 • B Z U		
Cumberiando	Flage NOT REPAIRED MAY RUN OUT OF WATER						
No and the second	BY THIS EVENING LOCAL EMERGENCY		C2 • f 2724:Infrastructure Failu				
	A martine the second of the		A B	С	D	E	
Clarksburg		1 ver	rsion veventtype	▼ title	description Exercise	▼ pubDate ▼ €	
Tennil Tennil	Richmond's 7 to 7 Priersburg Newport - Lighton Newson - Lighton	ginia ach	Infrastructure Failure - Water Supply	2724:Infrastructure Failure - Water Supply	COVINGTON PD REPORTED THAT A VALVE FAILED AT THE WATER FOLTRATION FACILITY ON 82 FACILITY IS NOW OFFLINE RESIDENTS HAVE BEEN REQUESTED TO CONSERVE WATERIF NOT REPARED MAY RUN OUT OF WATER BY THIS EVENNO LOCAL EMERGENCY HAS NOT BEEN DECLARED BUT HAVE BE DECLARED DI MODIC RCND CALL EROM CATHY CARSON VCOVINGTON PD 540-965-6333NOTIFIED T BROWN NOTIFIED G WILLSINFO FORWARDED TO S CRIGGER 01:00 EMAIL SENT TO SR VDEM, OPS. S CRIGGER 01:00 EMAIL SENT TO SR VDEM, OPS. S CRIGGER 16:42 SENT SIG EVENT REGION 6 COORD STAN CRIGGER IS ENROUTE TO COVINGTON THE CRIVE FAILURE ON THE EVE OF AUG 2 AT THE CITYS WATER FILITRATION PLANT 16:47 RCVD LOCAL STREP FROM COVINGTON F1:447 RCVD LOCAL STREP FROM COVINGTON F1:447 RCVD LOCAL STREP FROM COVINGTON READING TO IDENTIFIC TO SAND PLANT 16:47 RCVD LOCAL STREP FROM COVINGTON READING THE FILITRATION PLANT 16:47 RCVD LOCAL STREP FROM COVINGTON READING TO IDENTIFIC TO IDENTIFIC TO BORD THE FILITRATION PLANT 16:47 RCVD LOCAL STREP FROM COVINGTON RIMARY INFO AS 01 530 hrs on Aug 3, 2005, the water filtration plant has been restored to approximately 50% of its operating capacity. Repairs will continue over the next 24-48 hrs in order to bring the filtration and pumping systems back to full capacity. 18:20 RCVD CALL FROM STAN CRIGGER PUMPS ARE HOLDING AT 50% AND ARE		
Gre FRWARDED TO S CRIGGER	(Constant	10					
50 mi 07.00 EMAIL SENT TO SR VDEM	the stand	11					

vUSA Model #2: Virtual Alabama

Able to pre-determine critical assets, staging areas, and routes, or determine rapidly based on mission requirements and situational awareness.





Alabama Critical Assets

Alabama Staging Areas


Real Time Information Feeds

Visibility of Multiple Disciplines (Police and Fire)

18 MAY 2007 8:24:47pm A P30


Use of existing DoT WEB CAM







3D models can be enhanced with information about locations of hazardous materials as well as provide access to live video feed where available.



Virtual Alabama

And the ability to provide Before ...



Used for Recovery Mission (determine \$\$ Value)

Virtual Alabama

... and After Situational Awareness of Area of Operation




Data provided within 4 hours of Incident, help with rescue mission

Virtual USA



Virtual USA Core Principles

- All Data/Information is LOCAL
- Bottom Up Approach = Practitioner Driven
- Integrates existing frameworks
- Builds on existing investments





Virtual USA – Regional Pilots

Regional Operations Platform Pilot (ROPP)

- 7 States: Alabama, Louisiana, Mississippi, Florida, Texas, Virginia, Georgia
- At beginning: Only 2 states had platforms (different technology bases)
- Currently: All 7 states have platforms
- Project Charter & Governance Compact
- November 2009: Demonstration

Pacific Northwest Pilot (PNW)

- 5 States: Alaska, Idaho, Montana, Oregon, Washington
- Kickoff meeting September 2009

VIRTUAL USA

