

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ba: Bayboro-----	80	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too acid	1.00
		Too acid	1.00			Restricted permeability	0.96
Bo: Borrow Pits-----	60	Not rated		Not rated		Not rated	
Co: Coastal Beaches----	85	Not rated		Not rated		Not rated	
El: Elkton-----	80	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Low adsorption	0.03
		Low adsorption	0.03				
Em: Elkton-----	75	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
Eo: Evesboro-----	90	Very limited Seepage	1.00	Somewhat limited Too acid	0.42	Very limited Filtering capacity	1.00
		Too acid	1.00	Slope	0.12	Too acid	1.00
						Too steep for surface application	0.32
EsB: Evesboro-----	85	Very limited		Somewhat limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EsD: Evesboro-----	90	Seepage	1.00	Too acid	0.42	Filtering capacity	1.00
		Too acid	1.00			Too acid	1.00
						Too steep for surface application	0.08
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Filtering capacity	1.00
		Too acid	1.00	Too acid	0.42	Too acid	1.00
		Too steep for surface application	0.78			Too steep for surface application	1.00
						Too steep for sprinkler application	0.78
Ev: Evesboro-----	82	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Low adsorption	1.00	Too acid	0.03	Low adsorption	1.00
		Too acid	1.00			Too acid	1.00
Fa: Fallsington-----	80	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Low adsorption	0.01
		Low adsorption	0.01				
Fs: Fallsington-----	75	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Low adsorption	0.01
		Low adsorption	0.01				
Jo: Johnston-----	70	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Filtering capacity	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	0.31	Low adsorption	1.00
		Low adsorption	1.00			Flooding	1.00
		Too acid	1.00			Too acid	1.00
Ka: Keypport-----	90	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ke: Keyport-----	85	Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Restricted permeability	0.99
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
		Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00	Too acid	0.14	Restricted permeability	0.99
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
Kl: Klej-----	80	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Filtering capacity	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Depth to saturated zone	1.00
		Too acid	1.00			Too acid	1.00
Md: Made Land-----	65	Not rated		Not rated		Not rated	
MeA: Matapeake-----	75	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Low adsorption Too acid	1.00 1.00	Too acid	0.14	Too acid	1.00
MeB: Matapeake-----	80	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Low adsorption Too acid	1.00 1.00	Too acid	0.14	Too acid Too steep for surface application	1.00 0.08
MeC2: Matapeake-----	82	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid Too steep for surface application	1.00 0.22	Too acid	0.14	Too acid Too steep for sprinkler application	1.00 0.22

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mt: Mattapex-----	80	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14		
Mv: Mixed Alluvial Land-	80	Not rated		Not rated		Not rated	
Ot: Othello-----	90	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Restricted permeability	0.21
Pl: Plummer-----	80	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Filtering capacity	0.01
Pm: Pocomoke-----	75	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Low adsorption	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Filtering capacity	0.01
Po: Pocomoke-----	85	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Low adsorption	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Filtering capacity	0.01
RuA: Rumford-----	85	Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.31	Very limited Filtering capacity	1.00
		Low adsorption	1.00	Too acid	0.03	Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RuB: Rumford-----	85	Too acid	1.00			Too acid	1.00
		Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.31	Very limited Filtering capacity	1.00
		Low adsorption	1.00	Too acid	0.03	Low adsorption	1.00
		Too acid	1.00			Too acid	1.00
RuC2: Rumford-----	85	Too steep for surface application				Too steep for surface application	0.08
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Filtering capacity	1.00
		Low adsorption	1.00	Restricted permeability	0.31	Low adsorption	1.00
		Too acid	1.00	Too acid	0.03	Too acid	1.00
RuC3: Rumford-----	80	Too steep for surface application	0.22			Too steep for surface application	1.00
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Filtering capacity	1.00
		Low adsorption	1.00	Restricted permeability	0.31	Low adsorption	1.00
		Too acid	1.00	Too acid	0.03	Too acid	1.00
RuD: Rumford-----	80	Too steep for surface application	0.22			Too steep for surface application	1.00
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Filtering capacity	1.00
		Low adsorption	1.00	Restricted permeability	0.31	Low adsorption	1.00
		Too acid	1.00	Too acid	0.03	Too acid	1.00
SaA: Sassafras-----	85	Too steep for surface application	1.00			Too steep for surface application	1.00
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SaB: Sassafras-----	85	Too acid	1.00	Too acid	0.14		
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
SaC2: Sassafras-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
SaC3: Sassafras-----	80	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
SaD2: Sassafras-----	75	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
SfA: Sassafras-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14		
SfB: Sassafras-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
SfC2: Sassafras-----	80	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SvE: Sassafras-----	45	Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
Evesboro-----	40	Too acid	1.00	Too acid	0.14	Too acid	1.00
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Filtering capacity	1.00
		Too steep for surface application	1.00	Too acid	0.42	Too steep for surface application	1.00
Sw: Swamp-----	85	Too acid	1.00			Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
Tm: Tidal Marsh-----	75	Not rated		Not rated		Not rated	
Wo: Woodstown-----	80	Not rated		Not rated		Not rated	
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	0.69	Depth to saturated zone	0.84
Ws: Woodstown-----	75	Depth to saturated zone	0.84	Too acid	0.14		
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.84

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	0.84	Too acid	0.14		

