

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ba: Bayboro-----	80	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Too clayey Cutbanks cave	1.00 0.28 0.10	Very limited Depth to saturated zone	1.00
Bo: Borrow Pits-----	60	Not rated		Not rated		Not rated	
Co: Coastal Beaches-----	85	Not rated		Not rated		Not rated	
El: Elkton-----	80	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
Em: Elkton-----	75	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
Eo: Evesboro-----	90	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty Too sandy	0.61 0.50
EsB: Evesboro-----	85	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.61
EsD: Evesboro-----	90	Somewhat limited Slope	0.16	Very limited Cutbanks cave Slope	1.00 0.16	Somewhat limited Droughty Slope	0.61 0.16
Ev: Evesboro-----	82	Not limited		Very limited Cutbanks cave Too clayey	1.00 0.28	Somewhat limited Droughty	0.69

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fa: Fallsington-----	80	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
Fs: Fallsington-----	75	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
Jo: Johnston-----	70	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Cutbanks cave Flooding	1.00 1.00 0.80	Very limited Flooding Depth to saturated zone	1.00 1.00
Ka: Keyport-----	90	Very limited Frost action Shrink-swell	1.00 0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 0.99	Not limited	
Ke: Keyport-----	85	Very limited Frost action Shrink-swell	1.00 0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 0.99	Not limited	
Kl: Klej-----	80	Somewhat limited Depth to saturated zone Frost action	0.75 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Somewhat limited Depth to saturated zone Droughty	0.75 0.46
Md: Made Land-----	65	Not rated		Not rated		Not rated	
MeA: Matapeake-----	75	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
MeB: Matapeake-----	80	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
MeC2: Matapeake-----	82	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mt: Mattapex-----	80	Somewhat limited Frost action Depth to saturated zone	0.50 0.03	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Somewhat limited Depth to saturated zone	0.03
Mv: Mixed Alluvial Land-	80	Not rated		Not rated		Not rated	
Ot: Othello-----	90	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
Pl: Plummer-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone Droughty	1.00 0.69
Pm: Pocomoke-----	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
Po: Pocomoke-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
RuA: Rumford-----	85	Not limited		Very limited Cutbanks cave	1.00	Not limited	
RuB: Rumford-----	85	Not limited		Very limited Cutbanks cave	1.00	Not limited	
RuC2: Rumford-----	85	Not limited		Very limited Cutbanks cave	1.00	Not limited	
RuC3: Rumford-----	80	Not limited		Very limited Cutbanks cave	1.00	Not limited	
RuD: Rumford-----	80	Somewhat limited Slope	0.84	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope	0.84

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SaA: Sassafras-----	85	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SaB: Sassafras-----	85	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SaC2: Sassafras-----	85	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SaC3: Sassafras-----	80	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SaD2: Sassafras-----	75	Somewhat limited Slope Frost action	0.84 0.50	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope	0.84
SfA: Sassafras-----	85	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SfB: Sassafras-----	85	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SfC2: Sassafras-----	80	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SvE: Sassafras-----	45	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00
Evesboro-----	40	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope Droughty	1.00 0.61
Sw: Swamp-----	85	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	75	Not rated		Not rated		Not rated	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wo: Woodstown-----	80	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	
Ws: Woodstown-----	75	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	

