

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

| Map symbol and soil name | Pct. of map unit | Septic tank absorption fields | | Sewage lagoons | |
|-----------------------------|------------------|--|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Ba: Bayboro----- | 80 | Very limited Restricted permeability Depth to saturated zone | 1.00 1.00 | Very limited Depth to saturated zone | 1.00 |
| Bo: Borrow Pits----- | 60 | Not rated | | Not rated | |
| Co: Coastal Beaches----- | 85 | Not rated | | Not rated | |
| El: Elkton----- | 80 | Very limited Depth to saturated zone Filtering capacity | 1.00 1.00 | Very limited Depth to saturated zone Seepage | 1.00 1.00 |
| Em: Elkton----- | 75 | Very limited Depth to saturated zone Restricted permeability | 1.00 1.00 | Very limited Depth to saturated zone | 1.00 |
| Eo: Evesboro----- | 90 | Very limited Filtering capacity | 1.00 | Very limited Seepage Slope | 1.00 0.68 |
| EsB: Evesboro----- | 85 | Very limited Filtering capacity | 1.00 | Very limited Seepage Slope | 1.00 0.32 |
| EsD: Evesboro----- | 90 | Very limited Filtering capacity Slope | 1.00 0.16 | Very limited Seepage Slope | 1.00 1.00 |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Septic tank absorption fields | | Sewage lagoons | |
|-----------------------------|---------------------------|---|----------------------|---|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Ev: Evesboro----- | 82 | Very limited Restricted permeability | 1.00 | Somewhat limited Slope | 0.08 |
| Fa: Fallsington----- | 80 | Very limited Depth to saturated zone Filtering capacity Restricted permeability | 1.00 1.00 0.72 | Very limited Depth to saturated zone Seepage | 1.00 1.00 |
| Fs: Fallsington----- | 75 | Very limited Depth to saturated zone Filtering capacity Restricted permeability | 1.00 1.00 0.72 | Very limited Depth to saturated zone Seepage | 1.00 1.00 |
| Jo: Johnston----- | 70 | Very limited Flooding Depth to saturated zone Filtering capacity | 1.00 1.00 1.00 | Very limited Flooding Seepage Depth to saturated zone | 1.00 1.00 1.00 |
| Ka: Keyport----- | 90 | Very limited Restricted permeability Depth to saturated zone Filtering capacity | 1.00 1.00 1.00 | Somewhat limited Depth to saturated zone | 0.96 |
| Ke: Keyport----- | 85 | Very limited Restricted permeability Depth to saturated zone Filtering capacity | 1.00 1.00 1.00 | Somewhat limited Depth to saturated zone | 0.96 |
| Kl: Klej----- | 80 | Very limited Depth to saturated zone Filtering capacity | 1.00 1.00 | Very limited Seepage Depth to saturated zone | 1.00 1.00 |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Septic tank absorption fields | | Sewage lagoons | |
|-----------------------------|---------------------------|--|--------------|---|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Md: Made Land----- | 65 | Not rated | | Not rated | |
| MeA: Matapeake----- | 75 | Somewhat limited Restricted permeability | 0.72 | Very limited Seepage | 1.00 |
| MeB: Matapeake----- | 80 | Somewhat limited Restricted permeability | 0.72 | Very limited Seepage Slope | 1.00 0.32 |
| MeC2: Matapeake----- | 82 | Somewhat limited Restricted permeability | 0.72 | Very limited Slope Seepage | 1.00 1.00 |
| Mt: Mattapex----- | 80 | Very limited Depth to saturated zone Restricted permeability | 1.00 0.72 | Very limited Depth to saturated zone Seepage | 1.00 1.00 |
| Mv: Mixed Alluvial Land- | 80 | Not rated | | Not rated | |
| Ot: Othello----- | 90 | Very limited Depth to saturated zone Restricted permeability | 1.00 1.00 | Very limited Depth to saturated zone Seepage | 1.00 0.28 |
| Pl: Plummer----- | 80 | Very limited Depth to saturated zone Restricted permeability | 1.00 0.72 | Very limited Depth to saturated zone Seepage | 1.00 0.28 |
| Pm: Pocomoke----- | 75 | Very limited Depth to saturated zone Restricted permeability | 1.00 0.46 | Very limited Seepage Depth to saturated zone | 1.00 1.00 |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Septic tank absorption fields | | Sewage lagoons | |
|-----------------------------|---------------------------|--|-------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Po: Pocomoke----- | 85 | Very limited Depth to saturated zone | 1.00 | Very limited Seepage | 1.00 |
| | | Restricted permeability | 0.46 | Depth to saturated zone | 1.00 |
| RuA: Rumford----- | 85 | Very limited Filtering capacity | 1.00 | Very limited Seepage | 1.00 |
| RuB: Rumford----- | 85 | Very limited Filtering capacity | 1.00 | Very limited Seepage | 1.00 |
| | | | | Slope | 0.32 |
| RuC2: Rumford----- | 85 | Very limited Filtering capacity | 1.00 | Very limited Seepage | 1.00 |
| | | | | Slope | 1.00 |
| RuC3: Rumford----- | 80 | Very limited Filtering capacity | 1.00 | Very limited Seepage | 1.00 |
| | | | | Slope | 1.00 |
| RuD: Rumford----- | 80 | Very limited Filtering capacity | 1.00 | Very limited Slope | 1.00 |
| | | Slope | 0.84 | Seepage | 1.00 |
| SaA: Sassafras----- | 85 | Very limited Filtering capacity | 1.00 | Very limited Seepage | 1.00 |
| | | Restricted permeability | 0.72 | | |
| SaB: Sassafras----- | 85 | Very limited Filtering capacity | 1.00 | Very limited Seepage | 1.00 |
| | | Restricted permeability | 0.72 | Slope | 0.32 |
| SaC2: Sassafras----- | 85 | Very limited Filtering capacity | 1.00 | Very limited Slope | 1.00 |
| | | Restricted permeability | 0.72 | Seepage | 1.00 |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Septic tank absorption fields | | Sewage lagoons | |
|-----------------------------|---------------------------|--|----------------------|---------------------------------------|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value |
| SaC3: Sassafras----- | 80 | Very limited Filtering capacity Restricted permeability | 1.00 0.72 | Very limited Slope Seepage | 1.00 1.00 |
| SaD2: Sassafras----- | 75 | Very limited Filtering capacity Slope Restricted permeability | 1.00 0.84 0.72 | Very limited Slope Seepage | 1.00 1.00 |
| SfA: Sassafras----- | 85 | Very limited Filtering capacity Restricted permeability | 1.00 0.72 | Very limited Seepage | 1.00 |
| SfB: Sassafras----- | 85 | Very limited Filtering capacity Restricted permeability | 1.00 0.72 | Very limited Seepage Slope | 1.00 0.32 |
| SfC2: Sassafras----- | 80 | Very limited Filtering capacity Restricted permeability | 1.00 0.72 | Very limited Slope Seepage | 1.00 1.00 |
| SvE: Sassafras----- | 45 | Very limited Slope Filtering capacity Restricted permeability | 1.00 1.00 0.72 | Very limited Slope Seepage | 1.00 1.00 |
| Evesboro----- | 40 | Very limited Filtering capacity Slope | 1.00 1.00 | Very limited Slope Seepage | 1.00 1.00 |
| Sw: Swamp----- | 85 | Not rated | | Not rated | |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Septic tank absorption fields | | Sewage lagoons | |
|-----------------------------|---------------------------|--|-------|--|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Tm: Tidal Marsh----- | 75 | Not rated | | Not rated | |
| Wo: Woodstown----- | 80 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Seepage Slope | 1.00 1.00 0.08 |
| Ws: Woodstown----- | 75 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Seepage Slope | 1.00 1.00 0.08 |

