

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT
 New Castle County, Delaware: Detailed Soil Map Legend

Map Symbol	Soil Mapunit Name	HEL Classification	
		R=	C=
AdA	ALDINO SILT LOAM, 0 TO 3 PERCENT SLOPES		
AdB2	ALDINO SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED		
Am	ALDINO-KEYPORT-MATTAPEX-URBAN LAND COMPLEX		
Ba	BAYBORO SILT LOAM		
BuA	BUTLERTOWN SILT LOAM, 0 TO 2 PERCENT SLOPES		
BuB2	BUTLERTOWN SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		
BuC2	BUTLERTOWN SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		
ChA	CHESTER LOAM, 0 TO 3 PERCENT SLOPES		
ChB2	CHESTER LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED		
ChC2	CHESTER LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED		
ChC3	CHESTER LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED		
ChD2	CHESTER LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED		
ChD3	CHESTER LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED		
Co	CODORUS SILT LOAM		
CsB2	COLLINGTON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		
CsC3	COLLINGTON FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED		
CsD3	COLLINGTON FINE SANDY LOAM, 10 TO 25 PERCENT SLOPES, SEVERELY ERODED		
Cu	COMUS SILT LOAM		
DeA	DELANCO SILT LOAM, 0 TO 3 PERCENT SLOPES		
DeB2	DELANCO SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED		
EaB2	ELIOAK SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED		
EkC3	ELIOAK SILTY CLAY LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED		
EkD3	ELIOAK SILTY CLAY LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED		
E1A	ELKTON SANDY LOAM, 0 TO 2 PERCENT SLOPES		
EmA	ELKTON SILT LOAM, 0 TO 2 PERCENT SLOPES		
EmB	ELKTON SILT LOAM, 2 TO 5 PERCENT SLOPES		
EnB2	ELSINBORO SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED		
EnC2	ELSINBORO SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED		
EuB	ELSINBORO-DELANCO-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES		
Fa	FALLSINGTON SANDY LOAM		
Fs	FALLSINGTON LOAM		
GmB2	GLENELG AND MANOR LOAMS, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED		
GmC2	GLENELG AND MANOR LOAMS, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED		
GmC3	GLENELG AND MANOR LOAMS, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED		
GmD2	GLENELG AND MANOR LOAMS, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED		
GmD3	GLENELG AND MANOR LOAMS, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED		
GmE	GLENELG AND MANOR LOAMS, 25 TO 45 PERCENT SLOPES		

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT--Continued
 New Castle County, Delaware: Detailed Soil Map Legend

Map Symbol	Soil Mapunit Name	HEL Classification	
		R=	C=
GnA	GLENVILLE SILT LOAM, 0 TO 3 PERCENT SLOPES		
GnB2	GLENVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED		
Gp	GRAVEL PITS AND QUARRIES		
Ha	HATBORO SILT LOAM		
HbA	HATBORO SILT LOAM, LOCAL ALLUVIUM, 0 TO 3 PERCENT SLOPE S		
HbC	HATBORO SILT LOAM, LOCAL ALLUVIUM, 3 TO 12 PERCENT SLOP ES		
Jo	JOHNSTON LOAM		
KeA	KEYPORT SILT LOAM, 0 TO 2 PERCENT SLOPES		
KeB2	KEYPORT SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		
KeC2	KEYPORT SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		
KpC3	KEYPORT SILTY CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED		
KrA	KINKORA SILT LOAM, 0 TO 3 PERCENT SLOPES		
KrB	KINKORA SILT LOAM, 3 TO 8 PERCENT SLOPES		
Ma	MADE LAND AND URBAN LAND		
McB	MANOR-GLENELG-CHESTER-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES		
MeA	MATAPEAKE SILT LOAM, 0 TO 2 PERCENT SLOPES		
MeB2	MATAPEAKE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		
MeC2	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		
MeC3	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED		
MeD2	MATAPEAKE SILT LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED		
MeD3	MATAPEAKE SILT LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED		
MkA	MATAPEAKE SILT LOAM, SILTY SUBSTRATUM, 0 TO 2 PERCENT SLOPES		
MkB2	MATAPEAKE SILT LOAM, SILTY SUBSTRATUM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		
MkC2	MATAPEAKE SILT LOAM, SILTY SUBSTRATUM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		
MsB	MATAPEAKE-SASSAFRAS-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES		
MtA	MATTAPEX SILT LOAM, 0 TO 2 PERCENT SLOPES		
MtB2	MATTAPEX SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		
MtC2	MATTAPEX SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		
MtC3	MATTAPEX SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED		
Mv	MIXED ALLUVIAL LAND		
NmA	NESHAMINY AND MONTALTO SILT LOAMS, 0 TO 3 PERCENT SLOPES		
NmB2	NESHAMINY AND MONTALTO SILT LOAMS, 3 TO 8 PERCENT SLOPE S, MODERATELY ERODED		
NmC2	NESHAMINY AND MONTALTO SILT LOAMS, 8 TO 15 PERCENT SLOP ES, MODERATELY ERODED		
NnC3	NESHAMINY AND MONTALTO SILTY CLAY LOAMS, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED		
NnD3	NESHAMINY AND MONTALTO SILTY CLAY LOAMS, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED		

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT--Continued
 New Castle County, Delaware: Detailed Soil Map Legend

Map Symbol	Soil Mapunit Name	HEL Classification	
		R=	C=
NsE	NESHAMINY AND TALLEYVILLE VERY STONY SILT LOAMS, 3 TO 3 5 PERCENT SLOPES		
NtB	NESHAMINY-TALLEYVILLE-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES		
NtD	NESHAMINY-TALLEYVILLE-URBAN LAND COMPLEX, 8 TO 25 PERCENT SLOPES		
Ot	OTHELLO SILT LOAM		
Ou	OTHELLO-FALLSINGTON-URBAN LAND COMPLEX		
Po	POCOMOKE LOAM		
RuB2	RUMFORD LOAMY SAND, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		
RuC2	RUMFORD LOAMY SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		
SaA	SASSAFRAS SANDY LOAM, 0 TO 2 PERCENT SLOPES		
SaB2	SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		
SaC2	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		
SaC3	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED		
SaD2	SASSAFRAS SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED		
SaD3	SASSAFRAS SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED		
SmE	SASSAFRAS AND MATAPEAKE SOILS, 15 TO 30 PERCENT SLOPES		
StB	SILTY AND CLAYEY LAND, GENTLY SLOPING		
StC	SILTY AND CLAYEY LAND, SLOPING		
StE	SILTY AND CLAYEY LAND, STEEP		
TaB2	TALLEYVILLE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		
TaC2	TALLEYVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		
Tm	TIDAL MARSH		
Wa	WATCHUNG VERY STONY SILT LOAM		
WcA	WATCHUNG AND CALVERT SILT LOAMS, 0 TO 3 PERCENT SLOPES		
WcB	WATCHUNG AND CALVERT SILT LOAMS, 3 TO 8 PERCENT SLOPES		
WoA	WOODSTOWN SANDY LOAM, 0 TO 2 PERCENT SLOPES		
WoB2	WOODSTOWN SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		
WsA	WOODSTOWN LOAM, 0 TO 2 PERCENT SLOPES		
WsB2	WOODSTOWN LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		

