

Map symbol	Soil name	Acres	Percent
AdA	Aldino silt loam, 0 to 3 percent slopes-----	2,037	0.7
AdB2	Aldino silt loam, 3 to 8 percent slopes, moderately eroded-----	2,037	0.7
Am	Aldino-keyport-mattapex-urban land complex-----	8,575	2.9
Ba	Bayboro silt loam-----	453	0.2
BuA	Butlertown silt loam, 0 to 2 percent slopes-----	475	0.2
BuB2	Butlertown silt loam, 2 to 5 percent slopes, moderately eroded-----	791	0.3
BuC2	Butlertown silt loam, 5 to 10 percent slopes, moderately eroded-----	188	*
ChA	Chester loam, 0 to 3 percent slopes-----	1,401	0.5
ChB2	Chester loam, 3 to 8 percent slopes, moderately eroded-----	5,983	2.0
ChC2	Chester loam, 8 to 15 percent slopes, moderately eroded-----	1,597	0.5
ChC3	Chester loam, 8 to 15 percent slopes, severely eroded-----	907	0.3
ChD2	Chester loam, 15 to 25 percent slopes, moderately eroded-----	586	0.2
ChD3	Chester loam, 15 to 25 percent slopes, severely eroded-----	398	0.1
Co	Codorus silt loam-----	1,830	0.6
CsB2	Collington fine sandy loam, 2 to 5 percent slopes, moderately eroded-----	115	*
CsC3	Collington fine sandy loam, 5 to 10 percent slopes, severely eroded-----	158	*
CsD3	Collington fine sandy loam, 10 to 25 percent slopes, severely eroded-----	141	*
Cu	Comus silt loam-----	453	0.2
DeA	Delanco silt loam, 0 to 3 percent slopes-----	547	0.2
DeB2	Delanco silt loam, 3 to 8 percent slopes, moderately eroded-----	542	0.2
EaB2	Elioak silt loam, 3 to 8 percent slopes, moderately eroded-----	280	*
EkC3	Elioak silty clay loam, 8 to 15 percent slopes, severely eroded-----	127	*
EkD3	Elioak silty clay loam, 15 to 25 percent slopes, severely eroded-----	125	*
ElA	Elkton sandy loam, 0 to 2 percent slopes-----	694	0.2
EmA	Elkton silt loam, 0 to 2 percent slopes-----	8,437	2.8
EmB	Elkton silt loam, 2 to 5 percent slopes-----	614	0.2
EnB2	Elsinboro silt loam, 3 to 8 percent slopes, moderately eroded-----	1,557	0.5
EnC2	Elsinboro silt loam, 8 to 15 percent slopes, moderately eroded-----	165	*
EuB	Elsinboro-delanco-urban land complex, 0 to 8 percent slopes-----	2,805	0.9
Fa	Fallsington sandy loam-----	10,063	3.4
Fs	Fallsington loam-----	16,129	5.4
GmB2	Glenelg and manor loams, 3 to 8 percent slopes, moderately eroded-----	7,576	2.5
GmC2	Glenelg and manor loams, 8 to 15 percent slopes, moderately eroded-----	7,921	2.7
GmC3	Glenelg and manor loams, 8 to 15 percent slopes, severely eroded-----	1,239	0.4
GmD2	Glenelg and manor loams, 15 to 25 percent slopes, moderately eroded-----	3,960	1.3
GmD3	Glenelg and manor loams, 15 to 25 percent slopes, severely eroded-----	2,748	0.9
GmE	Glenelg and manor loams, 25 to 45 percent slopes-----	1,994	0.7
GnA	Glenville silt loam, 0 to 3 percent slopes-----	761	0.3
GnB2	Glenville silt loam, 3 to 8 percent slopes, moderately eroded-----	2,218	0.7
Gp	Gravel pits and quarries-----	788	0.3
Ha	Hatboro silt loam-----	2,406	0.8
HbA	Hatboro silt loam, local alluvium, 0 to 3 percent slopes-----	652	0.2
HbC	Hatboro silt loam, local alluvium, 3 to 12 percent slopes-----	340	0.1
Jo	Johnston loam-----	1,516	0.5
KeA	Keyport silt loam, 0 to 2 percent slopes-----	2,982	1.0
KeB2	Keyport silt loam, 2 to 5 percent slopes, moderately eroded-----	9,330	3.1
KeC2	Keyport silt loam, 5 to 10 percent slopes, moderately eroded-----	874	0.3
KpC3	Keyport silty clay loam, 5 to 10 percent slopes, severely eroded-----	770	0.3
KrA	Kinkora silt loam, 0 to 3 percent slopes-----	554	0.2
KrB	Kinkora silt loam, 3 to 8 percent slopes-----	135	*
Ma	Made land and urban land-----	9,178	3.1
McB	Manor-glenelg-chester-urban land complex, 0 to 8 percent slopes-----	1,229	0.4
MeA	Matapeake silt loam, 0 to 2 percent slopes-----	9,642	3.2
MeB2	Matapeake silt loam, 2 to 5 percent slopes, moderately eroded-----	42,936	14.4
MeC2	Matapeake silt loam, 5 to 10 percent slopes, moderately eroded-----	3,959	1.3
MeC3	Matapeake silt loam, 5 to 10 percent slopes, severely eroded-----	4,079	1.4
MeD2	Matapeake silt loam, 10 to 15 percent slopes, moderately eroded-----	458	0.2
MeD3	Matapeake silt loam, 10 to 15 percent slopes, severely eroded-----	2,009	0.7
MkA	Matapeake silt loam, silty substratum, 0 to 2 percent slopes-----	273	*
MkB2	Matapeake silt loam, silty substratum, 2 to 5 percent slopes, moderately eroded-----	1,341	0.4

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
MkC2	Matapeake silt loam, silty substratum, 5 to 10 percent slopes, moderately eroded-----	214	*
MsB	Matapeake-sassafras-urban land complex, 0 to 5 percent slopes-----	5,303	1.8
MtA	Mattapex silt loam, 0 to 2 percent slopes-----	2,117	0.7
MtB2	Mattapex silt loam, 2 to 5 percent slopes, moderately eroded-----	1,062	0.4
MtC2	Mattapex silt loam, 5 to 10 percent slopes, moderately eroded-----	203	*
MtC3	Mattapex silt loam, 5 to 10 percent slopes, severely eroded-----	197	*
Mv	Mixed alluvial land-----	3,202	1.1
NmA	Neshaminy and montalto silt loams, 0 to 3 percent slopes-----	364	0.1
NmB2	Neshaminy and montalto silt loams, 3 to 8 percent slopes, moderately eroded-----	2,689	0.9
NmC2	Neshaminy and montalto silt loams, 8 to 15 percent slopes, moderately eroded-----	568	0.2
NnC3	Neshaminy and montalto silty clay loams, 8 to 15 percent slopes, severely eroded-----	145	*
NnD3	Neshaminy and montalto silty clay loams, 15 to 25 percent slopes, severely eroded-----	187	*
NsE	Neshaminy and talleyville very stony silt loams, 3 to 3.5 percent slopes-----	684	0.2
NtB	Neshaminy-talleyville-urban land complex, 0 to 8 percent slopes-----	8,399	2.8
NtD	Neshaminy-talleyville-urban land complex, 8 to 25 percent slopes-----	383	0.1
Ot	Othello silt loam-----	3,928	1.3
Ou	Othello-fallsington-urban land complex-----	4,766	1.6
Po	Pocomoke loam-----	1,161	0.4
RuB2	Rumford loamy sand, 2 to 5 percent slopes, moderately eroded-----	739	0.2
RuC2	Rumford loamy sand, 5 to 10 percent slopes, moderately eroded-----	232	*
SaA	Sassafras sandy loam, 0 to 2 percent slopes-----	280	*
SaB2	Sassafras sandy loam, 2 to 5 percent slopes, moderately eroded-----	4,415	1.5
SaC2	Sassafras sandy loam, 5 to 10 percent slopes, moderately eroded-----	1,791	0.6
SaC3	Sassafras sandy loam, 5 to 10 percent slopes, severely eroded-----	1,381	0.5
SaD2	Sassafras sandy loam, 10 to 15 percent slopes, moderately eroded-----	421	0.1
SaD3	Sassafras sandy loam, 10 to 15 percent slopes, severely eroded-----	510	0.2
SmE	Sassafras and matapeake soils, 15 to 30 percent slopes-----	935	0.3
StB	Silty and clayey land, gently sloping-----	140	*
StC	Silty and clayey land, sloping-----	202	*
StE	Silty and clayey land, steep-----	237	*
TaB2	Talleyville silt loam, 2 to 5 percent slopes, moderately eroded-----	2,510	0.8
TaC2	Talleyville silt loam, 5 to 10 percent slopes, moderately eroded-----	156	*
Tm	Tidal marsh-----	20,442	6.9
Wa	Watchung very stony silt loam-----	106	*
WcA	Watchung and calvert silt loams, 0 to 3 percent slopes-----	1,972	0.7
WcB	Watchung and calvert silt loams, 3 to 8 percent slopes-----	290	*
WoA	Woodstown sandy loam, 0 to 2 percent slopes-----	731	0.2
WoB2	Woodstown sandy loam, 2 to 5 percent slopes, moderately eroded-----	1,044	0.4
WsA	Woodstown loam, 0 to 2 percent slopes-----	3,374	1.1
WsB2	Woodstown loam, 2 to 5 percent slopes, moderately eroded-----	3,415	1.1
	Total-----	274,973	92.2

* Less than 0.1 percent.

