

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Aldino-----	85	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm Depth to bedrock	1.00	Not Rated Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm Seepage	1.00	Restricted permeability	1.00	Not Rated; Fragments > 250mm Depth to saturated zone Depth to bedrock	1.00
		Depth to saturated zone Depth to bedrock	1.00			Too acid	0.91
AdB2: Aldino-----	90	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability Depth to bedrock Slope	1.00 1.00 0.50	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Depth to bedrock	1.00 1.00 1.00
		Depth to saturated zone Depth to bedrock	1.00 1.00	Too acid	0.14	Depth to bedrock Restricted permeability	1.00 0.96
Am: Aldino-----	30	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability Depth to bedrock Too acid	1.00 1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Depth to bedrock	1.00 1.00 1.00
		Depth to saturated zone Depth to bedrock	1.00 1.00			Depth to bedrock Restricted permeability	1.00 0.96
Keyport-----	30	Very limited Too acid	1.00	Very limited Restricted permeability Too acid	1.00 0.14	Very limited Too acid	1.00
		Seepage Depth to saturated zone	1.00 0.68			Restricted permeability Depth to saturated zone Too steep for surface application	0.99 0.68 0.08
Mattapex-----	20	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	10	Too acid	1.00	Too acid	0.14	Depth to saturated zone	0.95
		Depth to saturated zone	0.95			Too steep for surface application	0.08
Ba: Bayboro-----	85	Not rated		Not rated		Not rated	
Ba: Bayboro-----	85	Not Rated		Very limited Restricted permeability	1.00	Not Rated	
		Not Rated; CEC or Clay Seepage	1.00			Not Rated; CEC or Clay	
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
		Too acid	1.00			Too acid	1.00
BuA: Butlertown-----	80	Not Rated		Very limited Restricted permeability	1.00	Not Rated	
		Not Rated; CEC or Clay Seepage	1.00			Not Rated; CEC or Clay	
		Too acid	1.00			Too acid	1.00
BuB2: Butlertown-----	90	Not Rated		Very limited Restricted permeability	1.00	Not Rated	
		Not Rated; CEC or Clay Seepage	1.00			Not Rated; CEC or Clay	
		Too acid	0.91			Restricted permeability	0.96
		Depth to saturated zone	0.43			Too acid	0.91
BuC2: Butlertown-----	90	Not Rated		Very limited Restricted permeability	1.00	Not Rated	
		Not Rated; CEC or Clay Seepage	1.00			Not Rated; CEC or Clay	
		Too acid	0.91			Slope	1.00
		Depth to saturated zone	0.43			Too steep for surface application	1.00
		Too steep for surface application	0.22			Restricted permeability	0.96
		Too steep for surface application	0.22			Too acid	0.91
		Depth to saturated zone	0.43	Depth to saturated zone	0.43		

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ChA: Chester-----	90	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm		Restricted permeability	1.00	Not Rated; Fragments > 250mm	
		Seepage	1.00			Too acid	1.00
		Too acid	1.00				
ChB2: Chester-----	88	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm		Restricted permeability	1.00	Not Rated; Fragments > 250mm	
		Seepage	1.00	Slope	0.50	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.68
ChC2: Chester-----	85	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm		Slope	1.00	Not Rated; Fragments > 250mm	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
ChC3: Chester-----	80	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm		Slope	1.00	Not Rated; Fragments > 250mm	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
ChD2: Chester-----	85	Not Rated		Not Rated		Not Rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ChD3: Chester-----	80	Not Rated; CEC or Clay		Not Rated; Fragments > 250mm Slope	1.00	Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm Seepage	1.00	Restricted permeability	1.00	Not Rated; Fragments > 250mm	
		Too steep for surface application	1.00			Too steep for surface application	1.00
		Too acid	1.00			Too steep for sprinkler application	1.00
						Too acid	1.00
Co: Codorus-----	85	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; Fragments > 250mm Slope	1.00	Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm Seepage	1.00	Restricted permeability	1.00	Not Rated; Fragments > 250mm	
		Too steep for surface application	1.00			Too steep for surface application	1.00
		Too acid	1.00			Too steep for sprinkler application	1.00
				Too acid	1.00		
CsB2: Collington-----	88	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
		Flooding	1.00	Flooding	0.60	Depth to saturated zone	1.00
		Seepage	1.00			Too acid	0.91
		Depth to saturated zone	1.00			Flooding	0.60
Too acid	0.91			Filtering capacity	0.01		
CsC3: Collington-----	90	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CsD3: Collington-----	92	Too steep for surface application	0.22			Too steep for sprinkler application	0.22
		Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Slope	1.00	Not Rated Not Rated; CEC or Clay	
		Too steep for surface application Too acid	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
Cu: Comus-----	85	Too steep for surface application Too acid	1.00	Too acid	0.14	Too steep for sprinkler application Too acid	1.00
		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm Seepage Too acid Flooding	1.00 0.91 0.40	Restricted permeability	1.00	Not Rated; Fragments > 250mm Too acid	0.91
DeA: Delanco-----	85	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Depth to saturated zone Too acid	1.00 1.00	Too acid	0.14	Depth to saturated zone Too acid	1.00 1.00
		Flooding	0.40			Restricted permeability	0.21
DeB2: Delanco-----	90	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability Slope	1.00	Not Rated Not Rated; CEC or Clay	
		Depth to saturated zone Too acid	1.00 1.00	Too acid	0.14	Depth to saturated zone Too acid	1.00 1.00
						Too steep for surface application Restricted permeability	0.68 0.21
EaB2: Elioak-----	85	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EkC3: Elioak-----	85	Not Rated; Fragments > 250mm		Restricted permeability	1.00	Not Rated; Fragments > 250mm	
		Seepage	1.00	Slope	0.50	Too acid	0.91
		Too acid	0.91			Too steep for surface application	0.68
		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	
EkD3: Elioak-----	80	Not Rated; Fragments > 250mm		Slope	1.00	Not Rated; Fragments > 250mm	
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
ElA: Elkton-----	90	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm		Slope	1.00	Not Rated; Fragments > 250mm	
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
EmA: Elkton-----	90	Too acid	1.00			Too acid	1.00
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Depth to saturated zone	1.00
		Too acid	1.00			Too acid	1.00
EmB: Elkton-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Depth to saturated zone	1.00
		Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Depth to saturated zone	1.00
		Too acid	1.00			Too acid	1.00
						Too steep for surface application	0.08
EnB2: Elsinboro-----	85	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm		Restricted permeability	1.00	Not Rated; Fragments > 250mm	
		Seepage	1.00	Slope	0.50	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.68
EnC2: Elsinboro-----	90	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm		Slope	1.00	Not Rated; Fragments > 250mm	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
EuB: Delanco-----	35	Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00	Too acid	0.14	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Too acid	1.00
		Too acid	1.00			Restricted permeability	0.21
		Flooding	0.40			Too steep for surface application	0.08
Elsinboro-----	35	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm		Restricted permeability	1.00	Not Rated; Fragments > 250mm	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Seepage	1.00			Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
		Flooding	0.40				
		Not Rated		Not Rated		Not Rated	
Fa: Fallsington-----	85	Not Rated; Ksat		Not Rated; Ksat		Not Rated; Ksat	
		Not Rated; pH		Not Rated; Fragments 75 to 250mm		Not Rated; Ksat	
		Not Rated; CEC or Clay		Not Rated; pH		Not Rated; pH	
		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm		Not Rated; Fragments 75 to 250mm	
Fs: Fallsington-----	84	Not Rated; Fragments 75 to 250mm		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Low adsorption	0.01
GmB2: Glenelg-----	45	Low adsorption	0.01				
		Not Rated		Very limited Restricted permeability	1.00	Not Rated	
		Not Rated; CEC or Clay		Slope	0.50	Not Rated; CEC or Clay	
		Seepage	1.00	Cobble content	0.01	Too acid	1.00
Manor-----	35	Too acid	1.00			Too steep for surface application	0.68
		Not Rated		Very limited Restricted permeability	1.00	Not Rated	
		Not Rated; CEC or Clay		Slope	0.50	Not Rated; CEC or Clay	
		Seepage	1.00	Too acid	0.03	Too acid	1.00
GmC2: Glenelg-----	45	Too acid	1.00			Too steep for surface application	0.68
		Not Rated		Very limited Slope	1.00	Not Rated	
		Not Rated; CEC or Clay				Not Rated; CEC or Clay	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Manor-----	35	Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Cobble content	0.01	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Not Rated		Very limited Slope	1.00	Not Rated	
		Not Rated; CEC or Clay				Not Rated; CEC or Clay	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
GmC3: Glenelg-----	45	Too steep for surface application	1.00	Too acid	0.03	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Not Rated		Very limited Slope	1.00	Not Rated	
		Not Rated; CEC or Clay				Not Rated; CEC or Clay	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Cobble content	0.01	Too steep for sprinkler application	1.00
Manor-----	35	Too acid	1.00			Too acid	1.00
		Not Rated		Very limited Slope	1.00	Not Rated	
		Not Rated; CEC or Clay				Not Rated; CEC or Clay	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Too acid	0.03	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
GmD2: Manor-----	50	Not Rated		Very limited Slope	1.00	Not Rated	
		Not Rated; CEC or Clay				Not Rated; CEC or Clay	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Too acid	0.03	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Glenelg-----	35	Not Rated		Very limited Slope	1.00
Not Rated; CEC or Clay						Not Rated; CEC or Clay	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GmD3: Manor-----	50	Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Cobble content	0.01	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Slope	1.00	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
Glenelg-----	35	Too steep for surface application	1.00	Too acid	0.03	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Slope	1.00	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Cobble content	0.01	Too steep for sprinkler application	1.00
GmE: Manor-----	50	Too acid	1.00			Too acid	1.00
		Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Slope	1.00	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Too acid	0.03	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
Glenelg-----	35	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Slope	1.00	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Cobble content	0.01	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
GnA: Glenville-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GnB2: Glenville-----	85	Depth to saturated zone	1.00	Very limited Restricted permeability Slope	1.00	Restricted permeability	0.43
		Too acid	0.31			Too acid	0.31
		Very limited Seepage	1.00			Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Too steep for surface application	0.68
		Too acid	0.31			Restricted permeability	0.43
Gp: Gravel Pits And Quarries-----	80	Not rated		Not rated		Not rated	
Ha: Hatboro-----	90	Not Rated		Very limited Restricted permeability Flooding	1.00	Not Rated	
		Not Rated; CEC or Clay				Not Rated; CEC or Clay	
		Flooding	1.00			Depth to saturated zone	1.00
		Seepage	1.00			Flooding	0.60
		Depth to saturated zone	1.00			Too acid	0.31
HbA: Hatboro-----	58	Too acid	0.31	Very limited Restricted permeability Flooding	1.00	Filtering capacity	0.01
		Not Rated				Not Rated	
		Not Rated; CEC or Clay				Not Rated; CEC or Clay	
		Flooding	1.00			Depth to saturated zone	1.00
		Seepage	1.00			Flooding	0.60
HbC: Hatboro-----	55	Depth to saturated zone	1.00	Very limited Restricted permeability Flooding	1.00	Too acid	0.31
		Too acid	0.31			Not Rated	
		Not Rated				Not Rated; CEC or Clay	
		Not Rated; CEC or Clay				Depth to saturated zone	1.00
		Flooding	1.00			Flooding	0.60
		Seepage	1.00			Too acid	0.31
		Depth to saturated zone	1.00			Filtering capacity	0.01
		Too acid	0.31				

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Jo: Johnston-----	90	Not Rated Not Rated; CEC or Clay Flooding	1.00	Very limited Ponding Flooding	1.00 1.00	Not Rated Not Rated; CEC or Clay Filtering capacity Ponding	1.00 1.00
		Seepage	1.00	Restricted permeability	0.31	Depth to saturated zone Flooding	1.00 1.00
		Ponding	1.00				
		Depth to saturated zone	1.00				
KeA: Keyport-----	85	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00	Too acid	0.14	Restricted permeability	0.99
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
KeB2: Keyport-----	85	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00	Too acid	0.14	Restricted permeability	0.99
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
						Too steep for surface application	0.08
KeC2: Keyport-----	95	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.68	Too acid	0.14	Restricted permeability	0.99
		Too steep for surface application	0.22			Depth to saturated zone	0.68
						Too steep for sprinkler application	0.22
KpC3: Keyport-----	92	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.68	Too acid	0.14	Restricted permeability	0.99

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KrA: Kinkora-----	90	Too steep for surface application	0.22			Depth to saturated zone	0.68
						Too steep for sprinkler application	0.22
		Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Depth to saturated zone	1.00	Too acid	0.42	Depth to saturated zone	1.00
		Seepage	1.00			Too acid	1.00
		Too acid	1.00			Restricted permeability	0.96
		Flooding	0.40				
KrB: Kinkora-----	85	Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Depth to saturated zone	1.00	Slope	0.50	Depth to saturated zone	1.00
		Seepage	1.00	Too acid	0.42	Too acid	1.00
		Too acid	1.00			Restricted permeability	0.96
		Flooding	0.40			Too steep for surface application	0.68
Ma: Made Land And Urban Land-----	100	Not rated		Not rated		Not rated	
McB: Glenelg-----	30	Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00	Cobble content	0.01	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
Manor-----	30	Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00	Too acid	0.03	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
Chester-----	20	Not Rated		Not Rated		Not Rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Not Rated; CEC or Clay		Not Rated; Fragments > 250mm		Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm	1.00	Restricted permeability	1.00	Not Rated; Fragments > 250mm	
		Seepage	1.00			Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
Urban Land-----	20	Not rated		Not rated		Not rated	
MeA: Matapeake-----	85	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00				
Mattapex-----	10	Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Filtering capacity	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
		Depth to saturated zone	0.95			Depth to saturated zone	0.95
MeB2: Matapeake-----	90	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
MeC2: Matapeake-----	92	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
MeC3: Matapeake-----	95	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MeD2: Matapeake-----	95	Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
		Not Rated		Very limited Slope	1.00	Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
MeD3: Matapeake-----	95	Seepage	1.00	Too steep for surface application	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Not Rated		Very limited Slope	1.00	Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
MkA: Matapeake-----	85	Seepage	1.00	Too steep for surface application	1.00	Too steep for surface application	1.00
		Too acid	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
						Too acid	1.00
		Not Rated		Very limited Restricted permeability	1.00	Not Rated	
		Not Rated; CEC or Clay		Too acid	0.14	Not Rated; CEC or Clay	
MkB2: Matapeake-----	80	Seepage	1.00	Too steep for surface application	1.00	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
				Very limited Restricted permeability	1.00	Not Rated	
		Not Rated		Too acid	0.14	Not Rated; CEC or Clay	
		Not Rated; CEC or Clay				Too steep for surface application	
MkC2: Matapeake-----	90	Seepage	1.00	Too steep for surface application	1.00	Too steep for surface application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
				Very limited Restricted permeability	1.00	Not Rated	
		Not Rated		Slope	1.00	Not Rated; CEC or Clay	
		Not Rated; CEC or Clay				Too steep for surface application	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MsB: Matapeake-----	40	Too steep for surface application	0.22			Too steep for sprinkler application	0.22
		Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid	1.00
Sassafras-----	40	Very limited Seepage Too acid	1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Very limited Too acid	1.00
Urban Land-----	20	Not Rated Not Rated; Ksat Not Rated; pH		Not Rated Not Rated; Ksat Not Rated; Fragments 75 to 250mm Not Rated; pH		Not Rated Not Rated; Ksat Not Rated; Ksat	
		Not Rated; CEC or Clay Not Rated; Fragments > 250mm Not Rated; Fragments 75 to 250mm		Not Rated; Fragments > 250mm		Not Rated; pH Not Rated; Fragments 75 to 250mm Not Rated; CEC or Clay	
MtA: Mattapex-----	80	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Too acid Depth to saturated zone	1.00 0.95	Too acid	0.14	Too acid Depth to saturated zone	1.00 0.95
MtB2: Mattapex-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Too acid Depth to saturated zone	1.00 0.95	Too acid	0.14	Too acid Depth to saturated zone Too steep for surface application	1.00 0.95 0.08
MtC2: Mattapex-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Too acid Depth to saturated zone	1.00 0.95	Slope Too acid	1.00 0.14	Too acid Too steep for surface application	1.00 1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MtC3: Mattapex-----	85	Too steep for surface application	0.22			Depth to saturated zone	0.95
						Too steep for sprinkler application	0.22
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Too acid	1.00	Slope	1.00	Too acid	1.00
		Depth to saturated zone	0.95	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.22			Depth to saturated zone	0.95
Mv: Mixed Alluvial Land-	90	Not rated		Not rated		Not rated	
NmA: Neshaminy-----	75	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too acid	0.91
		Too acid	0.91	Cobble content	0.01	Restricted permeability	0.21
		Cobble content	0.01				
Montalto-----	25	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; Fragments > 250mm		Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm		Restricted permeability	1.00	Not Rated; Fragments > 250mm	
		Seepage	1.00			Too acid	0.77
		Too acid	0.77			Restricted permeability	0.21
NmB2: Neshaminy-----	70	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too acid	0.91
		Too acid	0.91	Slope	0.50	Too steep for surface application	0.68
		Cobble content	0.01	Cobble content	0.01	Restricted permeability	0.21

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Montalto-----	30	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm		Restricted permeability	1.00	Not Rated; Fragments > 250mm	
		Seepage	1.00	Slope	0.50	Too acid	0.77
		Too acid	0.77			Too steep for surface application	0.68
						Restricted permeability	0.21
NmC2: Neshaminy-----	65	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.91	Cobble content	0.01	Too acid	0.91
		Cobble content	0.01			Restricted permeability	0.21
Montalto-----	35	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm		Slope	1.00	Not Rated; Fragments > 250mm	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.77			Too acid	0.77
NnC3: Neshaminy-----	65	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.91	Cobble content	0.01	Too acid	0.91
		Cobble content	0.01			Restricted permeability	0.21
Montalto-----	35	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
NnD3: Neshaminy-----	60	Not Rated; Fragments > 250mm		Slope	1.00	Not Rated; Fragments > 250mm	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.77			Too acid	0.77
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
Montalto-----	40	Too acid	0.91	Cobble content	0.01	Too acid	0.91
		Cobble content	0.01			Restricted permeability	0.21
		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm		Slope	1.00	Not Rated; Fragments > 250mm	
NsE: Neshaminy-----	60	Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Slope	1.00	Too steep for sprinkler application	1.00
		Too acid	0.91	Cobble content	0.01	Too acid	0.91
		Cobble content	0.01			Restricted permeability	0.21
		Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
Talleyville-----	40	Too acid	1.00			Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
NtB: Neshaminy-----	50	Too steep for surface application	0.22			Too steep for sprinkler application	0.22
						Restricted permeability	0.21
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too acid	0.91
		Too acid	0.91	Cobble content	0.01	Restricted permeability	0.21
		Cobble content	0.01			Too steep for surface application	0.08
Talleyville-----	32	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Too acid	1.00			Too acid	1.00
						Restricted permeability	0.21
Urban Land-----	18	Not Rated Not Rated; Ksat Not Rated; pH		Not Rated Not Rated; Ksat Not Rated; Fragments 75 to 250mm		Not Rated Not Rated; Ksat Not Rated; Ksat	
						Not Rated; pH	
		Not Rated; CEC or Clay		Not Rated; Fragments > 250mm		Not Rated; pH	
		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm		Not Rated; Fragments 75 to 250mm	
		Not Rated; Fragments 75 to 250mm				Not Rated; CEC or Clay	
NtD: Neshaminy-----	50	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.91	Cobble content	0.01	Too acid	0.91
		Cobble content	0.01			Restricted permeability	0.21
Talleyville-----	30	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability Slope	1.00	Not Rated Not Rated; CEC or Clay	
						Too steep for surface application	1.00
		Too acid	1.00			Too acid	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	20	Not Rated		Not Rated		Restricted permeability	0.21
		Not Rated; Ksat		Not Rated; Ksat		Not Rated; Ksat	
		Not Rated; pH		Not Rated; Fragments 75 to 250mm		Not Rated; Ksat	
Ot: Othello-----	90	Not Rated; CEC or Clay		Not Rated; pH		Not Rated; pH	
		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm		Not Rated; Fragments 75 to 250mm	
		Not Rated; Fragments 75 to 250mm		Slope	1.00	Not Rated; CEC or Clay	
Othello-----	90	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Restricted permeability	0.21
Ou: Urban Land-----	70					Filtering capacity	0.01
		Not Rated		Not Rated		Not Rated	
		Not Rated; Ksat		Not Rated; Ksat		Not Rated; Ksat	
Fallsington-----	15	Not Rated; pH		Not Rated; Fragments 75 to 250mm		Not Rated; Ksat	
		Not Rated; CEC or Clay		Not Rated; pH		Not Rated; pH	
		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm		Not Rated; Fragments 75 to 250mm	
Othello-----	15	Not Rated; Fragments 75 to 250mm				Not Rated; CEC or Clay	
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Too acid	1.00
Fallsington-----	15	Too acid	1.00			Low adsorption	0.01
		Low adsorption	0.01				
Othello-----	15					Restricted permeability	0.21
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Too acid	1.00
Othello-----	15	Too acid	1.00				

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Po: Pocomoke-----	85	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Ponding	1.00	Not Rated Not Rated; CEC or Clay Ponding	1.00
		Ponding	1.00	Restricted permeability Too acid	0.14	Depth to saturated zone Too acid	1.00
		Depth to saturated zone Too acid	1.00			Filtering capacity	0.01
RuB2: Rumford-----	85	Not Rated Not Rated; CEC or Clay Seepage	1.00	Somewhat limited Restricted permeability Too acid	0.31	Not Rated Not Rated; CEC or Clay Filtering capacity	1.00
		Too acid	1.00		0.03	Too acid Too steep for surface application	1.00 0.08
RuC2: Rumford-----	90	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Slope	1.00	Not Rated Not Rated; CEC or Clay Filtering capacity	1.00
		Too acid Too steep for surface application	1.00 0.22	Restricted permeability Too acid	0.31 0.03	Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 0.22
SaA: Sassafras-----	90	Very limited Seepage	1.00	Very limited Restricted permeability Too acid	1.00	Very limited Too acid	1.00
		Too acid	1.00		0.14		
SaB2: Sassafras-----	90	Very limited Seepage	1.00	Very limited Restricted permeability Too acid	1.00	Very limited Too acid	1.00
		Too acid	1.00		0.14	Too steep for surface application	0.08
SaC2: Sassafras-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SaC3: Sassafras-----	85	Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
SaD2: Sassafras-----	85	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
SaD3: Sassafras-----	90	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
SmE: Sassafras-----	50	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
Matapeake-----	40	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Slope	1.00	Not Rated Not Rated; CEC or Clay	
			1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
StB: Silty And Clayey Land-----	85	Not rated		Not rated		Not rated	
StC: Silty And Clayey Land-----	85	Not rated		Not rated		Not rated	
StE: Silty And Clayey Land-----	90	Not rated		Not rated		Not rated	
TaB2: Talleyville-----	80	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay Too acid Restricted permeability Too steep for surface application	1.00 0.21 0.08
TaC2: Talleyville-----	85	Not Rated Not Rated; CEC or Clay Seepage Too acid Too steep for surface application	1.00 1.00 0.22	Very limited Restricted permeability Slope	1.00 1.00	Not Rated Not Rated; CEC or Clay Too steep for surface application Too acid Too steep for sprinkler application Restricted permeability	1.00 1.00 1.00 0.22 0.21
Tm: Tidal Marsh-----	90	Not rated		Not rated		Not rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wa: Watchung-----	90	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm		Restricted permeability	1.00	Not Rated; Fragments > 250mm	
		Depth to saturated zone	1.00	Slope	0.50	Depth to saturated zone	1.00
		Seepage	1.00			Restricted permeability	0.99
		Too acid	0.77			Too acid	0.77
WcA: Watchung-----	55	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm		Restricted permeability	1.00	Not Rated; Fragments > 250mm	
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
		Seepage	1.00			Restricted permeability	0.99
		Too acid	0.77			Too acid	0.77
Calvert-----	35	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm		Restricted permeability	1.00	Not Rated; Fragments > 250mm	
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
		Seepage	1.00			Restricted permeability	0.99
		Too acid	0.77			Too acid	0.77
WcB: Watchung-----	50	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	
		Not Rated; Fragments > 250mm		Restricted permeability	1.00	Not Rated; Fragments > 250mm	
		Depth to saturated zone	1.00	Slope	0.50	Depth to saturated zone	1.00
		Seepage	1.00			Restricted permeability	0.99
		Too acid	0.77			Too acid	0.77
Calvert-----	40	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; CEC or Clay	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WoA: Woodstown-----	90	Not Rated; Fragments > 250mm		Restricted permeability	1.00	Not Rated; Fragments > 250mm	
		Depth to saturated zone	1.00	Slope	0.50	Depth to saturated zone	1.00
		Seepage	1.00			Restricted permeability	0.99
		Too acid	0.77			Too acid	0.77
		Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.69	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Depth to saturated zone	0.84
		Depth to saturated zone	0.84				
WoB2: Woodstown-----	85	Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.69	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Depth to saturated zone	0.84
		Depth to saturated zone	0.84			Too steep for surface application	0.08
WsA: Woodstown-----	88	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Depth to saturated zone	0.84
		Depth to saturated zone	0.84				
WsB2: Woodstown-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Depth to saturated zone	0.84
		Depth to saturated zone	0.84			Too steep for surface application	0.08

