

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 0.99. The smaller the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Aldino-----	85	Not Rated Too acid	0.54	Not Rated Depth to bedrock	0.00	Fair Depth to saturated zone	0.53
				Depth to saturated zone	0.53	Too acid	0.98
				Shrink-swell	0.96		
AdB2: Aldino-----	90	Poor Low content of organic matter	0.00	Not Rated Depth to bedrock	0.00	Not Rated Depth to saturated zone	0.53
		Too acid	0.50	Depth to saturated zone	0.53	Too acid	0.59
		Water erosion	0.90			Rock fragments	0.97
Am: Aldino-----	30	Poor Low content of organic matter	0.00	Not Rated Depth to bedrock	0.00	Not Rated Depth to saturated zone	0.53
		Too acid	0.50	Depth to saturated zone	0.53	Too acid	0.59
		Water erosion	0.90			Rock fragments	0.97
Keyport-----	30	Poor Too clayey	0.00	Not Rated Shrink-swell	0.87	Poor Too Clayey	0.00
		Too acid	0.12	Depth to saturated zone	0.98	Too acid	0.88
		Low content of organic matter	0.12			Depth to saturated zone	0.98
		Water erosion	0.90				
Mattapex-----	20	Fair Low content of organic matter	0.12	Not Rated Depth to saturated zone	0.76	Fair Too acid	0.59
		Too acid	0.50			Depth to saturated zone	0.76
		Water erosion	0.90				
Urban Land-----	10	Not rated		Not rated		Not rated	
Ba: Bayboro-----	85	Poor Low content of organic matter	0.00	Not Rated Depth to saturated zone	0.00	Not Rated Depth to saturated zone	0.00
		Too clayey	0.00	Shrink-swell	0.91	Too acid	0.88
		Too acid	0.50				

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BuA: Butlertown-----	80	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.68	Not Rated		Fair Too acid	0.59
BuB2: Butlertown-----	90	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Not Rated		Not Rated Too acid	0.98
BuC2: Butlertown-----	90	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Not Rated		Not Rated Too acid	0.98
ChA: Chester-----	90	Not Rated Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated		Fair Too acid	0.88
ChB2: Chester-----	88	Not Rated Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated		Fair Too acid	0.88
ChC2: Chester-----	85	Not Rated Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated		Fair Slope Too acid	0.37 0.88
ChC3: Chester-----	80	Not Rated Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated		Fair Slope Too acid	0.37 0.88
ChD2: Chester-----	85	Not Rated Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated Slope	0.50	Poor Slope Too acid	0.00 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ChD3: Chester-----	80	Not Rated Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated Slope	0.50	Poor Slope Too acid	0.00 0.88
Co: Codorus-----	85	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.68	Not Rated Depth to saturated zone	0.14	Not Rated Depth to saturated zone Rock fragments	0.14 0.97
CsB2: Collington-----	88	Poor Low content of organic matter Too acid	0.00 0.50	Not Rated		Not Rated Too acid	0.59
CsC3: Collington-----	90	Poor Low content of organic matter Too acid	0.00 0.50	Not Rated		Not Rated Too acid	0.59
CsD3: Collington-----	92	Poor Low content of organic matter Too acid	0.00 0.50	Not Rated		Not Rated Slope Too acid	0.16 0.59
Cu: Comus-----	85	Not Rated Too acid Water erosion	0.54 0.90	Not Rated		Fair Hard to reclaim Too acid	0.88 0.98
DeA: Delanco-----	85	Poor Low content of organic matter Too acid Water erosion	0.00 0.50 0.99	Not Rated Depth to saturated zone Shrink-swell	0.29 0.99	Not Rated Depth to saturated zone Too acid	0.29 0.59
DeB2: Delanco-----	90	Poor Low content of organic matter Too acid Water erosion	0.00 0.50 0.99	Not Rated Depth to saturated zone Shrink-swell	0.29 0.99	Not Rated Depth to saturated zone Too acid	0.29 0.59
EaB2: Elioak-----	85	Not Rated Too clayey Low content of organic matter Too acid Water erosion	0.00 0.12 0.32 0.99	Not Rated		Poor Too Clayey Too acid	0.00 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EkC3: Elioak-----	85	Not Rated Too clayey Low content of organic matter Too acid Water erosion	0.00 0.12 0.32 0.99	Not Rated		Poor Too Clayey Slope Too acid	0.00 0.37 0.88
EkD3: Elioak-----	80	Not Rated Too clayey Low content of organic matter Too acid Water erosion	0.00 0.12 0.32 0.99	Not Rated Slope	0.50	Poor Slope Too Clayey Too acid	0.00 0.00 0.88
ElA: Elkton-----	90	Fair Too acid Low content of organic matter Too clayey Water erosion	0.12 0.12 0.32 0.99	Not Rated Depth to saturated zone Shrink-swell	0.00 0.96	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.19 0.59
EmA: Elkton-----	90	Fair Too acid Low content of organic matter Too clayey Water erosion	0.12 0.12 0.32 0.90	Not Rated Depth to saturated zone Shrink-swell	0.00 0.96	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.19 0.59
EmB: Elkton-----	85	Fair Too acid Low content of organic matter Too clayey Water erosion	0.12 0.12 0.32 0.90	Not Rated Depth to saturated zone Shrink-swell	0.00 0.96	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.19 0.59
EnB2: Elsinboro-----	85	Not Rated Low content of organic matter Too acid Water erosion	0.12 0.50 0.99	Not Rated		Fair Too acid	0.88
EnC2: Elsinboro-----	90	Not Rated Low content of organic matter Too acid Water erosion	0.12 0.50 0.99	Not Rated		Fair Slope Too acid	0.37 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EuB: Delanco-----	35	Poor Low content of organic matter Too acid Water erosion	0.00 0.50 0.99	Not Rated Depth to saturated zone Shrink-swell	0.29 0.99	Not Rated Depth to saturated zone Too acid	0.29 0.59
Elsinboro-----	35	Not Rated Low content of organic matter Too acid Water erosion	0.12 0.50 0.99	Not Rated		Fair Too acid	0.88
Urban Land-----	30	Not Rated Low content of organic matter	0.00	Not Rated		Not Rated	
Fa: Fallsington-----	85	Fair Low content of organic matter Too acid	0.12 0.50	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Hard to reclaim Too acid	0.00 0.26 0.59
Fs: Fallsington-----	84	Fair Low content of organic matter Too acid	0.12 0.50	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Hard to reclaim Too acid	0.00 0.26 0.59
GmB2: Glenelg-----	45	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated		Poor Hard to reclaim Rock fragments	0.00 0.12
Manor-----	35	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated		Fair Rock fragments Too acid	0.12 0.76
GmC2: Glenelg-----	45	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated		Poor Hard to reclaim Rock fragments Slope	0.00 0.12 0.37
Manor-----	35	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated		Fair Rock fragments Slope Too acid	0.12 0.37 0.76

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GmC3: Glenelg-----	45	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated		Poor Hard to reclaim Rock fragments Slope	0.00 0.12 0.37
Manor-----	35	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated		Fair Rock fragments Slope Too acid	0.12 0.37 0.76
GmD2: Manor-----	50	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated Slope	0.50	Poor Slope Rock fragments Too acid	0.00 0.12 0.76
Glenelg-----	35	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated Slope	0.50	Poor Slope Hard to reclaim Rock fragments	0.00 0.00 0.12
GmD3: Manor-----	50	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated Slope	0.50	Poor Slope Rock fragments Too acid	0.00 0.12 0.76
Glenelg-----	35	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated Slope	0.50	Poor Slope Hard to reclaim Rock fragments	0.00 0.00 0.12
GmE: Manor-----	50	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated Slope	0.00	Poor Slope Rock fragments Too acid	0.00 0.12 0.76
Glenelg-----	35	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated Slope	0.00	Poor Slope Hard to reclaim Rock fragments	0.00 0.00 0.12

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GnA: Glenville-----	85	Fair Low content of organic matter Too acid	0.12 0.54	Not Rated Depth to saturated zone	0.29	Poor Hard to reclaim Depth to saturated zone Rock fragments Too acid	0.00 0.29 0.50 0.98
GnB2: Glenville-----	85	Fair Low content of organic matter Too acid	0.12 0.54	Not Rated Depth to saturated zone	0.29	Poor Hard to reclaim Depth to saturated zone Rock fragments Too acid	0.00 0.29 0.50 0.98
Gp: Gravel Pits And Quarries-----	80	Not rated		Not rated		Not rated	
Ha: Hatboro-----	90	Poor Low content of organic matter Water erosion Too acid	0.00 0.68 0.88	Not Rated Depth to saturated zone	0.00	Not Rated Depth to saturated zone Hard to reclaim	0.00 0.50
HbA: Hatboro-----	58	Poor Low content of organic matter Water erosion Too acid	0.00 0.68 0.88	Not Rated Depth to saturated zone	0.00	Not Rated Depth to saturated zone Hard to reclaim	0.00 0.50
HbC: Hatboro-----	55	Poor Low content of organic matter Water erosion Too acid	0.00 0.68 0.88	Not Rated Depth to saturated zone	0.00	Not Rated Depth to saturated zone Hard to reclaim	0.00 0.50
Jo: Johnston-----	90	Fair Too acid	0.50	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.88
KeA: Keyport-----	85	Poor Too clayey Too acid Low content of organic matter Water erosion	0.00 0.12 0.12 0.90	Not Rated Shrink-swell Depth to saturated zone	0.87 0.98	Poor Too Clayey Too acid Depth to saturated zone	0.00 0.88 0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KeB2: Keyport-----	85	Poor Too clayey Too acid Low content of organic matter Water erosion	0.00 0.12 0.12 0.90	Not Rated Shrink-swell Depth to saturated zone	0.87 0.98	Poor Too Clayey Too acid Depth to saturated zone	0.00 0.88 0.98
KeC2: Keyport-----	95	Poor Too clayey Too acid Low content of organic matter Water erosion	0.00 0.12 0.12 0.90	Not Rated Shrink-swell Depth to saturated zone	0.87 0.98	Poor Too Clayey Too acid Depth to saturated zone	0.00 0.88 0.98
KpC3: Keyport-----	92	Poor Too clayey Too acid Low content of organic matter Water erosion	0.00 0.12 0.12 0.90	Not Rated Shrink-swell Depth to saturated zone	0.87 0.98	Poor Too Clayey Too acid Depth to saturated zone	0.00 0.88 0.98
KrA: Kinkora-----	90	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.50 0.90	Not Rated Depth to saturated zone	0.00	Not Rated Depth to saturated zone Too acid	0.00 0.76
KrB: Kinkora-----	85	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.50 0.90	Not Rated Depth to saturated zone	0.00	Not Rated Depth to saturated zone Too acid	0.00 0.76
Ma: Made Land And Urban Land-----	100	Not rated		Not rated		Not rated	
McB: Glenelg-----	30	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated		Poor Hard to reclaim Rock fragments	0.00 0.12

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Manor-----	30	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated		Fair Rock fragments Too acid	0.12 0.76
Chester-----	20	Not Rated Low content of organic matter Too acid Water erosion	0.12 0.50 0.68	Not Rated		Fair Too acid	0.88
Urban Land-----	20	Not rated		Not rated		Not rated	
MeA: Matapeake-----	85	Poor Low content of organic matter Too acid Water erosion	0.00 0.50 0.68	Not Rated		Not Rated Too acid Hard to reclaim	0.59 0.84
Mattapex-----	10	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Not Rated Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76
MeB2: Matapeake-----	90	Poor Low content of organic matter Too acid Water erosion	0.00 0.50 0.68	Not Rated		Not Rated Too acid Hard to reclaim	0.59 0.84
MeC2: Matapeake-----	92	Poor Low content of organic matter Too acid Water erosion	0.00 0.50 0.68	Not Rated		Not Rated Too acid Hard to reclaim	0.59 0.84
MeC3: Matapeake-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.50 0.68	Not Rated		Not Rated Too acid Hard to reclaim	0.59 0.84
MeD2: Matapeake-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.50 0.68	Not Rated		Not Rated Slope Too acid Hard to reclaim	0.16 0.59 0.84

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MeD3: Matapeake-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.50 0.68	Not Rated		Not Rated Slope Too acid Hard to reclaim	0.16 0.59 0.84
MkA: Matapeake-----	85	Poor Low content of organic matter Too acid Water erosion	0.00 0.50 0.68	Not Rated		Not Rated Too acid Hard to reclaim	0.59 0.84
MkB2: Matapeake-----	80	Poor Low content of organic matter Too acid Water erosion	0.00 0.50 0.68	Not Rated		Not Rated Too acid Hard to reclaim	0.59 0.84
MkC2: Matapeake-----	90	Poor Low content of organic matter Too acid Water erosion	0.00 0.50 0.68	Not Rated		Not Rated Too acid Hard to reclaim	0.59 0.84
MsB: Matapeake-----	40	Poor Low content of organic matter Too acid Water erosion	0.00 0.50 0.68	Not Rated		Not Rated Too acid Hard to reclaim	0.59 0.84
Sassafras-----	40	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Too acid	0.59
Urban Land-----	20	Not Rated Low content of organic matter	0.00	Not Rated		Not Rated	
MtA: Mattapex-----	80	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Not Rated Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MtB2: Mattapex-----	85	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.76	Fair Too acid	0.59
		Low content of organic matter	0.12			Depth to saturated zone	0.76
		Water erosion	0.90				
MtC2: Mattapex-----	85	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.76	Fair Too acid	0.59
		Low content of organic matter	0.12			Depth to saturated zone	0.76
		Water erosion	0.90				
MtC3: Mattapex-----	85	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.76	Fair Too acid	0.59
		Low content of organic matter	0.12			Depth to saturated zone	0.76
		Water erosion	0.90				
Mv: Mixed Alluvial Land-	90	Not rated		Not rated		Not rated	
NmA: Neshaminy-----	75	Fair Low content of organic matter	0.12	Not Rated Cobble content	0.99	Fair Hard to reclaim	0.12
		Too acid	0.54			Rock fragments	0.12
Montalto-----	25	Not Rated Too clayey	0.00	Not Rated Shrink-swell	0.35	Poor Hard to reclaim	0.00
		Low content of organic matter	0.12			Too Clayey	0.00
		Too acid	0.68				
NmB2: Neshaminy-----	70	Fair Low content of organic matter	0.12	Not Rated Cobble content	0.99	Fair Hard to reclaim	0.12
		Too acid	0.54			Rock fragments	0.12
Montalto-----	30	Not Rated Too clayey	0.00	Not Rated Shrink-swell	0.35	Poor Hard to reclaim	0.00
		Low content of organic matter	0.12			Too Clayey	0.00
		Too acid	0.68				
NmC2: Neshaminy-----	65	Fair Low content of organic matter	0.12	Not Rated Cobble content	0.99	Fair Hard to reclaim	0.12
		Too acid	0.54			Rock fragments	0.12
						Slope	0.37

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Montalto-----	35	Not Rated Too clayey Low content of organic matter Too acid	0.00 0.12 0.68	Not Rated Shrink-swell	0.35	Poor Hard to reclaim Too Clayey Slope	0.00 0.00 0.37
NnC3: Neshaminy-----	65	Fair Low content of organic matter Too acid	0.12 0.54	Not Rated Cobble content	0.99	Fair Hard to reclaim Rock fragments Slope	0.12 0.12 0.37
Montalto-----	35	Not Rated Too clayey Low content of organic matter Too acid	0.00 0.12 0.68	Not Rated Shrink-swell	0.35	Poor Hard to reclaim Too Clayey Slope	0.00 0.00 0.37
NnD3: Neshaminy-----	60	Fair Low content of organic matter Too acid	0.12 0.54	Not Rated Slope Cobble content	0.50 0.99	Poor Slope Hard to reclaim Rock fragments	0.00 0.12 0.12
Montalto-----	40	Not Rated Too clayey Low content of organic matter Too acid	0.00 0.12 0.68	Not Rated Shrink-swell Slope	0.35 0.50	Poor Slope Hard to reclaim Too Clayey	0.00 0.00 0.00
NsE: Neshaminy-----	60	Fair Low content of organic matter Too acid	0.12 0.54	Not Rated Slope Cobble content	0.68 0.99	Poor Slope Hard to reclaim Rock fragments	0.00 0.12 0.12
Talleyville-----	40	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.90	Not Rated		Not Rated Too acid	0.88
NtB: Neshaminy-----	50	Fair Low content of organic matter Too acid	0.12 0.54	Not Rated Cobble content	0.99	Fair Hard to reclaim Rock fragments	0.12 0.12
Talleyville-----	32	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.90	Not Rated		Not Rated Too acid	0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	18	Not Rated Low content of organic matter	0.00	Not Rated		Not Rated	
NtD: Neshaminy-----	50	Fair Low content of organic matter Too acid	0.12 0.54	Not Rated Slope Cobble content	0.92 0.99	Poor Slope Hard to reclaim Rock fragments	0.00 0.12 0.12
Talleyville-----	30	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.90	Not Rated		Not Rated Too acid	0.88
Urban Land-----	20	Not Rated Low content of organic matter	0.00	Not Rated Slope	0.92	Not Rated Slope	0.00
Ot: Othello-----	90	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
Ou: Urban Land-----	70	Not Rated Low content of organic matter	0.00	Not Rated		Not Rated	
Fallsington-----	15	Fair Low content of organic matter Too acid	0.12 0.50	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Hard to reclaim Too acid	0.00 0.26 0.59
Othello-----	15	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
Po: Pocomoke-----	85	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated Depth to saturated zone	0.00	Not Rated Depth to saturated zone Too acid	0.00 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RuB2: Rumford-----	85	Poor Wind erosion Low content of organic matter Too acid Droughty	0.00 0.00 0.50 0.97	Not Rated		Not Rated Too acid Hard to reclaim Rock fragments	0.76 0.82 0.97
RuC2: Rumford-----	90	Poor Wind erosion Low content of organic matter Too acid Droughty	0.00 0.00 0.50 0.97	Not Rated		Not Rated Too acid Hard to reclaim Rock fragments	0.76 0.82 0.97
SaA: Sassafras-----	90	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Too acid	0.59
SaB2: Sassafras-----	90	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Too acid	0.59
SaC2: Sassafras-----	85	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Too acid	0.59
SaC3: Sassafras-----	85	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Too acid	0.59
SaD2: Sassafras-----	85	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Slope Too acid	0.16 0.59
SaD3: Sassafras-----	90	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Slope Too acid	0.16 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SmE: Sassafras-----	50	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated Slope	0.08	Poor Slope Too acid	0.00 0.59
Matapeake-----	40	Poor Low content of organic matter Too acid Water erosion	0.00 0.50 0.68	Not Rated Slope	0.08	Not Rated Slope Too acid Hard to reclaim	0.00 0.59 0.84
StB: Silty And Clayey Land-----	85	Not rated		Not rated		Not rated	
StC: Silty And Clayey Land-----	85	Not rated		Not rated		Not rated	
StE: Silty And Clayey Land-----	90	Not rated		Not rated		Not rated	
TaB2: Talleyville-----	80	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.90	Not Rated		Not Rated Too acid	0.88
TaC2: Talleyville-----	85	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.90	Not Rated		Not Rated Too acid	0.88
Tm: Tidal Marsh-----	90	Not rated		Not rated		Not rated	
Wa: Watchung-----	90	Not Rated Too clayey Low content of organic matter Too acid Water erosion	0.00 0.12 0.68 0.90	Not Rated Depth to saturated zone Shrink-swell	0.00 0.87	Poor Too Clayey Depth to saturated zone Hard to reclaim Rock fragments	0.00 0.00 0.95 0.95

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WcA: Watchung-----	55	Not Rated Too clayey	0.00	Not Rated Depth to saturated zone Shrink-swell	0.00	Poor Too Clayey	0.00
		Low content of organic matter	0.12		0.87	Depth to saturated zone	0.00
		Too acid	0.68			Hard to reclaim	0.95
		Water erosion	0.90			Rock fragments	0.95
Calvert-----	35	Not Rated Too clayey	0.00	Not Rated Depth to saturated zone Shrink-swell	0.00	Poor Too Clayey	0.00
		Low content of organic matter	0.12		0.87	Depth to saturated zone	0.00
		Too acid	0.68			Hard to reclaim	0.95
		Water erosion	0.90			Rock fragments	0.95
WcB: Watchung-----	50	Not Rated Too clayey	0.00	Not Rated Depth to saturated zone Shrink-swell	0.00	Poor Too Clayey	0.00
		Low content of organic matter	0.12		0.87	Depth to saturated zone	0.00
		Too acid	0.68			Hard to reclaim	0.95
		Water erosion	0.90			Rock fragments	0.95
Calvert-----	40	Not Rated Too clayey	0.00	Not Rated Depth to saturated zone Shrink-swell	0.00	Poor Too Clayey	0.00
		Low content of organic matter	0.12		0.87	Depth to saturated zone	0.00
		Too acid	0.68			Hard to reclaim	0.95
		Water erosion	0.90			Rock fragments	0.95
WoA: Woodstown-----	90	Fair Low content of organic matter Too acid	0.12 0.50	Not Rated Depth to saturated zone	0.91	Fair Too acid Rock fragments Depth to saturated zone	0.59 0.88 0.91
WoB2: Woodstown-----	85	Fair Low content of organic matter Too acid	0.12 0.50	Not Rated Depth to saturated zone	0.91	Fair Too acid Rock fragments Depth to saturated zone	0.59 0.88 0.91
WsA: Woodstown-----	88	Fair Low content of organic matter Too acid	0.12 0.50	Not Rated Depth to saturated zone	0.91	Fair Too acid Rock fragments Depth to saturated zone	0.59 0.88 0.91

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WsB2: Woodstown-----	85	Fair Low content of organic matter Too acid	0.12 0.50	Not Rated Depth to saturated zone	0.91	Fair Too acid Rock fragments Depth to saturated zone	0.59 0.88 0.91

