

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Aldino-----	85	Not Rated Not Rated; Fragments > 75mm Shrink-swell	0.50	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell	1.00	Not Rated Not Rated; Fragments > 75mm Shrink-swell	0.50
		Depth to saturated zone	0.39		0.50	Depth to saturated zone	0.39
AdB2: Aldino-----	90	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.50
						Depth to saturated zone	0.39
Am: Aldino-----	30	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
Keyport-----	30	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
Mattapex-----	20	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
Urban Land-----	10	Not rated		Not rated		Not rated	
Ba: Bayboro-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
BuA: Butlertown-----	80	Not limited		Not limited		Not limited	
BuB2: Butlertown-----	90	Not limited		Somewhat limited Depth to saturated zone	0.95	Not limited	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BuC2: Butlertown-----	90	Not limited		Somewhat limited Depth to saturated zone	0.95	Very limited Slope	1.00
ChA: Chester-----	90	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm	
ChB2: Chester-----	88	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm Slope	0.50
ChC2: Chester-----	85	Not Rated Not Rated; Fragments > 75mm Slope	0.63	Not Rated Not Rated; Fragments > 75mm Slope	0.63	Not Rated Not Rated; Fragments > 75mm Slope	1.00
ChC3: Chester-----	80	Not Rated Not Rated; Fragments > 75mm Slope	0.63	Not Rated Not Rated; Fragments > 75mm Slope	0.63	Not Rated Not Rated; Fragments > 75mm Slope	1.00
ChD2: Chester-----	85	Not Rated Not Rated; Fragments > 75mm Slope	1.00	Not Rated Not Rated; Fragments > 75mm Slope	1.00	Not Rated Not Rated; Fragments > 75mm Slope	1.00
ChD3: Chester-----	80	Not Rated Not Rated; Fragments > 75mm Slope	1.00	Not Rated Not Rated; Fragments > 75mm Slope	1.00	Not Rated Not Rated; Fragments > 75mm Slope	1.00
Co: Codorus-----	85	Very limited Flooding Depth to saturated zone	1.00 0.98	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.98
CsB2: Collington-----	88	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Shrink-swell	0.50
CsC3: Collington-----	90	Somewhat limited Shrink-swell	0.50	Not limited		Very limited Slope Shrink-swell	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CsD3: Collington-----	92	Somewhat limited Slope Shrink-swell	0.84 0.50	Somewhat limited Slope	0.84	Very limited Slope Shrink-swell	1.00 0.50
Cu: Comus-----	85	Not Rated Not Rated; Fragments > 75mm Flooding	1.00	Not Rated Not Rated; Fragments > 75mm Flooding	1.00	Not Rated Not Rated; Fragments > 75mm Flooding	1.00
DeA: Delanco-----	85	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.81 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.81 0.50
DeB2: Delanco-----	90	Somewhat limited Depth to saturated zone Shrink-swell	0.81 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Slope Shrink-swell	0.81 0.50 0.50
EaB2: Elioak-----	85	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm Slope	0.50
EkC3: Elioak-----	85	Not Rated Not Rated; Fragments > 75mm Slope	0.63	Not Rated Not Rated; Fragments > 75mm Slope	0.63	Not Rated Not Rated; Fragments > 75mm Slope	1.00
EkD3: Elioak-----	80	Not Rated Not Rated; Fragments > 75mm Slope	1.00	Not Rated Not Rated; Fragments > 75mm Slope	1.00	Not Rated Not Rated; Fragments > 75mm Slope	1.00
ElA: Elkton-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
EmA: Elkton-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EmB: Elkton-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
EnB2: Elsinboro-----	85	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm Depth to saturated zone	0.16	Not Rated Not Rated; Fragments > 75mm Slope	0.50
EnC2: Elsinboro-----	90	Not Rated Not Rated; Fragments > 75mm Slope	0.63	Not Rated Not Rated; Fragments > 75mm Slope Depth to saturated zone	0.63 0.16	Not Rated Not Rated; Fragments > 75mm Slope	1.00
EuB: Delanco-----	35	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.81 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.81 0.50
Elsinboro-----	35	Not Rated Not Rated; Fragments > 75mm Flooding	1.00	Not Rated Not Rated; Fragments > 75mm Flooding Depth to saturated zone	1.00 0.16	Not Rated Not Rated; Fragments > 75mm Flooding	1.00
Urban Land-----	30	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Unified Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm	
Fa: Fallsington-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Fs: Fallsington-----	84	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
GmB2: Glenelg-----	45	Not limited		Not limited		Somewhat limited Slope	0.50
Manor-----	35	Not limited		Not limited		Somewhat limited Slope	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GmC2: Glenelg-----	45	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Manor-----	35	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
GmC3: Glenelg-----	45	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Manor-----	35	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
GmD2: Manor-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Glenelg-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
GmD3: Manor-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Glenelg-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
GmE: Manor-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Glenelg-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
GnA: Glenville-----	85	Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.81
GnB2: Glenville-----	85	Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone Slope	0.81 0.50
Gp: Gravel Pits And Quarries-----	80	Not rated		Not rated		Not rated	
Ha: Hatboro-----	90	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HbA: Hatboro-----	58	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
HbC: Hatboro-----	55	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Jo: Johnston-----	90	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
KeA: Keypoint-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
KeB2: Keypoint-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
KeC2: Keypoint-----	95	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Very limited Slope Shrink-swell	1.00 0.50
KpC3: Keypoint-----	92	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Very limited Slope Shrink-swell	1.00 0.50
KrA: Kinkora-----	90	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00
KrB: Kinkora-----	85	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell Slope	1.00 1.00 1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ma: Made Land And Urban Land-----	100	Not rated		Not rated		Not rated	
McB: Glenelg-----	30	Not limited		Not limited		Not limited	
Manor-----	30	Not limited		Not limited		Not limited	
Chester-----	20	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm	
Urban Land-----	20	Not rated		Not rated		Not rated	
MeA: Matapeake-----	85	Not limited		Not limited		Not limited	
Mattapex-----	10	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MeB2: Matapeake-----	90	Not limited		Not limited		Not limited	
MeC2: Matapeake-----	92	Not limited		Not limited		Very limited Slope	1.00
MeC3: Matapeake-----	95	Not limited		Not limited		Very limited Slope	1.00
MeD2: Matapeake-----	95	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
MeD3: Matapeake-----	95	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
MkA: Matapeake-----	85	Not limited		Not limited		Not limited	
MkB2: Matapeake-----	80	Not limited		Not limited		Not limited	
MkC2: Matapeake-----	90	Not limited		Not limited		Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MsB: Matapeake-----	40	Not limited		Not limited		Not limited	
Sassafras-----	40	Not limited		Not limited		Not limited	
Urban Land-----	20	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Unified Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm	
MtA: Mattapex-----	80	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MtB2: Mattapex-----	85	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MtC2: Mattapex-----	85	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Very limited Slope Depth to saturated zone	1.00 0.07
MtC3: Mattapex-----	85	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Very limited Slope Depth to saturated zone	1.00 0.07
Mv: Mixed Alluvial Land-	90	Not rated		Not rated		Not rated	
NmA: Neshaminy-----	75	Not limited		Not limited		Not limited	
Montalto-----	25	Not Rated Not Rated; Fragments > 75mm Shrink-swell	1.00	Not Rated Not Rated; Fragments > 75mm Shrink-swell	1.00	Not Rated Not Rated; Fragments > 75mm Shrink-swell	1.00
NmB2: Neshaminy-----	70	Not limited		Not limited		Somewhat limited Slope	0.50
Montalto-----	30	Not Rated Not Rated; Fragments > 75mm Shrink-swell	1.00	Not Rated Not Rated; Fragments > 75mm Shrink-swell	1.00	Not Rated Not Rated; Fragments > 75mm Shrink-swell Slope	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
NmC2: Neshaminy-----	65	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Montalto-----	35	Not Rated Not Rated; Fragments > 75mm Shrink-swell Slope	1.00 0.63	Not Rated Not Rated; Fragments > 75mm Shrink-swell Slope	1.00 0.63	Not Rated Not Rated; Fragments > 75mm Slope Shrink-swell	1.00 1.00 1.00
NnC3: Neshaminy-----	65	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Montalto-----	35	Not Rated Not Rated; Fragments > 75mm Shrink-swell Slope	1.00 0.63	Not Rated Not Rated; Fragments > 75mm Shrink-swell Slope	1.00 0.63	Not Rated Not Rated; Fragments > 75mm Slope Shrink-swell	1.00 1.00 1.00
NnD3: Neshaminy-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Montalto-----	40	Not Rated Not Rated; Fragments > 75mm Slope Shrink-swell	1.00 1.00	Not Rated Not Rated; Fragments > 75mm Slope Shrink-swell	1.00 1.00	Not Rated Not Rated; Fragments > 75mm Slope Shrink-swell	1.00 1.00 1.00
NsE: Neshaminy-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Talleyville-----	40	Not limited		Not limited		Very limited Slope	1.00
NtB: Neshaminy-----	50	Not limited		Not limited		Not limited	
Talleyville-----	32	Not limited		Not limited		Not limited	
Urban Land-----	18	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Unified Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm	
NtD: Neshaminy-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Talleyville-----	30	Not limited		Not limited		Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	20	Not Rated Not Rated; Fragments > 75mm Slope	1.00	Not Rated Not Rated; Unified Not Rated; Fragments > 75mm Slope	1.00	Not Rated Not Rated; Fragments > 75mm Slope	1.00
Ot: Othello-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Ou: Urban Land-----	70	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Unified Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm	
Fallsington-----	15	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Othello-----	15	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Po: Pocomoke-----	85	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
RuB2: Rumford-----	85	Not limited		Not limited		Not limited	
RuC2: Rumford-----	90	Not limited		Not limited		Very limited Slope	1.00
SaA: Sassafras-----	90	Not limited		Not limited		Not limited	
SaB2: Sassafras-----	90	Not limited		Not limited		Not limited	
SaC2: Sassafras-----	85	Not limited		Not limited		Very limited Slope	1.00
SaC3: Sassafras-----	85	Not limited		Not limited		Very limited Slope	1.00
SaD2: Sassafras-----	85	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SaD3: Sassafras-----	90	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
SmE: Sassafras-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Matapeake-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
StB: Silty And Clayey Land-----	85	Not rated		Not rated		Not rated	
StC: Silty And Clayey Land-----	85	Not rated		Not rated		Not rated	
StE: Silty And Clayey Land-----	90	Not rated		Not rated		Not rated	
TaB2: Talleyville-----	80	Not limited		Not limited		Not limited	
TaC2: Talleyville-----	85	Not limited		Not limited		Very limited Slope	1.00
Tm: Tidal Marsh-----	90	Not rated		Not rated		Not rated	
Wa: Watchung-----	90	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell	1.00 0.50	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell	1.00 0.50	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Slope Shrink-swell	1.00 0.50 0.50
WcA: Watchung-----	55	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell	1.00 0.50	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell	1.00 0.50	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Calvert-----	35	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell	1.00 0.50	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell	1.00 0.50	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell	1.00 0.50
WcB: Watchung-----	50	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell	1.00 0.50	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell	1.00 0.50	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Slope Shrink-swell	1.00 0.50 0.50
Calvert-----	40	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell	1.00 0.50	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell	1.00 0.50	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Slope Shrink-swell	1.00 0.50 0.50
WoA: Woodstown-----	90	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
WoB2: Woodstown-----	85	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
WsA: Woodstown-----	88	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
WsB2: Woodstown-----	85	Not limited		Very limited Depth to saturated zone	1.00	Not limited	

