

(Absence of an entry indicates that data were not estimated.)

Map symbol and soil name	Depth	Cation exchange capacity	Effective cation exchange capacity	Soil reaction	Calcium carbon- ate	Gypsum	Salinity	Sodium adsorp- tion ratio
	In	meq/100 g	meq/100 g	pH	Pct	Pct	mmhos/cm	
AdA:								
Aldino-----	0-8	---	---	4.5-6.0	---	---	---	---
	8-33	---	---	4.5-6.0	---	---	---	---
	33-60	---	---	6.1-7.3	---	---	---	---
	60-64	---	---	---	---	---	---	---
AdB2:								
Aldino-----	0-10	---	---	3.6-5.5	---	---	---	---
	10-22	---	---	3.6-5.5	---	---	---	---
	22-36	---	---	3.6-5.5	---	---	---	---
	36-60	---	---	5.1-7.3	---	---	---	---
Am:								
Aldino-----	0-10	---	---	3.6-5.5	---	---	---	---
	10-22	---	---	3.6-5.5	---	---	---	---
	22-36	---	---	3.6-5.5	---	---	---	---
	36-60	---	---	5.1-7.3	---	---	---	---
Keyport-----	0-10	---	6.0-14	3.6-5.5	---	---	---	---
	10-60	---	12-20	4.5-5.5	---	---	---	---
	60-72	---	2.0-16	3.6-5.5	---	---	---	---
Mattapex-----	0-8	---	2.0-15	3.6-5.5	---	---	---	---
	8-28	---	2.0-10	3.6-5.5	---	---	---	---
	28-48	---	2.0-5.0	3.6-5.5	---	---	---	---
Urban Land-----	0-6	---	---	---	---	---	---	---
Ba:								
Bayboro-----	0-14	---	---	3.6-5.5	---	---	---	---
	14-64	---	---	4.5-5.5	---	---	---	---
BuA:								
Butlertown-----	0-12	---	---	4.5-5.5	---	---	0	---
	12-64	---	---	3.6-5.5	---	---	0	---
	64-72	---	---	3.6-5.5	---	---	0	---
BuB2:								
Butlertown-----	0-16	---	---	4.5-6.0	---	---	---	---
	16-34	---	---	4.5-6.0	---	---	---	---
	34-49	---	---	4.5-6.0	---	---	---	---
	49-60	---	---	4.5-5.5	---	---	---	---
BuC2:								
Butlertown-----	0-16	---	---	4.5-6.0	---	---	---	---
	16-34	---	---	4.5-6.0	---	---	---	---
	34-49	---	---	4.5-6.0	---	---	---	---
	49-60	---	---	4.5-5.5	---	---	---	---
ChA:								
Chester-----	0-15	---	---	4.5-5.5	---	---	---	---
	15-36	---	---	4.5-5.5	---	---	---	---
	36-62	---	---	4.5-5.5	---	---	---	---
ChB2:								
Chester-----	0-15	---	---	4.5-5.5	---	---	---	---
	15-36	---	---	4.5-5.5	---	---	---	---
	36-62	---	---	4.5-5.5	---	---	---	---

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation exchange capacity	Effective cation exchange capacity	Soil reaction	Calcium carbon- ate	Gypsum	Salinity	Sodium adsorp- tion ratio
	In	meq/100 g	meq/100 g	pH	Pct	Pct	mmhos/cm	
ChC2: Chester-----	0-15	---	---	4.5-5.5	---	---	---	---
	15-36	---	---	4.5-5.5	---	---	---	---
	36-62	---	---	4.5-5.5	---	---	---	---
ChC3: Chester-----	0-15	---	---	4.5-5.5	---	---	---	---
	15-36	---	---	4.5-5.5	---	---	---	---
	36-62	---	---	4.5-5.5	---	---	---	---
ChD2: Chester-----	0-15	---	---	4.5-5.5	---	---	---	---
	15-36	---	---	4.5-5.5	---	---	---	---
	36-62	---	---	4.5-5.5	---	---	---	---
ChD3: Chester-----	0-15	---	---	4.5-5.5	---	---	---	---
	15-36	---	---	4.5-5.5	---	---	---	---
	36-62	---	---	4.5-5.5	---	---	---	---
Co: Codorus-----	0-18	---	---	4.5-6.0	---	---	---	---
	18-54	---	---	5.1-6.5	---	---	---	---
	54-60	---	---	5.1-6.5	---	---	---	---
CsB2: Collington-----	0-13	---	---	3.6-5.5	---	---	---	---
	13-32	---	---	3.6-5.5	---	---	---	---
	32-60	---	---	3.6-5.5	---	---	---	---
CsC3: Collington-----	0-13	---	---	3.6-5.5	---	---	---	---
	13-32	---	---	3.6-5.5	---	---	---	---
	32-60	---	---	3.6-5.5	---	---	---	---
CsD3: Collington-----	0-13	---	---	3.6-5.5	---	---	---	---
	13-32	---	---	3.6-5.5	---	---	---	---
	32-60	---	---	3.6-5.5	---	---	---	---
Cu: Comus-----	0-30	---	---	4.5-6.0	---	---	---	---
	30-60	---	---	4.5-6.0	---	---	---	---
DeA: Delanco-----	0-11	---	---	3.6-5.5	---	---	---	---
	11-36	---	---	3.6-5.5	---	---	---	---
	36-50	---	---	3.6-5.5	---	---	---	---
DeB2: Delanco-----	0-11	---	---	3.6-5.5	---	---	---	---
	11-36	---	---	3.6-5.5	---	---	---	---
	36-50	---	---	3.6-5.5	---	---	---	---
EaB2: Elioak-----	0-15	---	---	4.5-6.0	---	---	---	---
	15-42	---	---	4.5-5.5	---	---	---	---
	42-60	---	---	4.5-6.0	---	---	---	---

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation exchange capacity	Effective cation exchange capacity	Soil reaction	Calcium carbon- ate	Gypsum	Salinity	Sodium adsorp- tion ratio
	In	meq/100 g	meq/100 g	pH	Pct	Pct	mmhos/cm	
EkC3:								
Elioak-----	0-15	---	---	4.5-5.5	---	---	---	---
	15-42	---	---	4.5-5.5	---	---	---	---
	42-60	---	---	4.5-6.0	---	---	---	---
EkD3:								
Elioak-----	0-15	---	---	4.5-5.5	---	---	---	---
	15-42	---	---	4.5-5.5	---	---	---	---
	42-60	---	---	4.5-6.0	---	---	---	---
ElA:								
Elkton-----	0-10	---	5.0-10	3.6-5.5	---	---	---	---
	10-24	---	2.0-10	3.6-5.5	---	---	---	---
	24-48	---	2.0-10	3.6-5.5	---	---	---	---
	48-60	---	2.0-10	3.6-5.5	---	---	---	---
EmA:								
Elkton-----	0-10	---	5.0-10	3.6-5.5	---	---	---	---
	10-24	---	2.0-10	3.6-5.5	---	---	---	---
	24-48	---	2.0-10	3.6-5.5	---	---	---	---
	48-60	---	2.0-10	3.6-5.5	---	---	---	---
EmB:								
Elkton-----	0-10	---	5.0-10	3.6-5.5	---	---	---	---
	10-24	---	2.0-10	3.6-5.5	---	---	---	---
	24-48	---	2.0-10	3.6-5.5	---	---	---	---
	48-60	---	2.0-10	3.6-5.5	---	---	---	---
EnB2:								
Elsinboro-----	0-15	---	---	4.5-5.5	---	---	---	---
	15-36	---	---	4.5-5.5	---	---	---	---
	36-60	---	---	4.5-5.5	---	---	---	---
EnC2:								
Elsinboro-----	0-15	---	---	4.5-5.5	---	---	---	---
	15-36	---	---	4.5-5.5	---	---	---	---
	36-60	---	---	4.5-5.5	---	---	---	---
EuB:								
Delanco-----	0-11	---	---	3.6-5.5	---	---	---	---
	11-36	---	---	3.6-5.5	---	---	---	---
	36-50	---	---	3.6-5.5	---	---	---	---
Elsinboro-----	0-15	---	---	4.5-5.5	---	---	---	---
	15-36	---	---	4.5-5.5	---	---	---	---
	36-60	---	---	4.5-5.5	---	---	---	---
Urban Land-----	---	---	---	---	---	---	---	---
Fa:								
Fallsington-----	0-11	---	2.0-5.0	3.6-5.5	---	---	---	---
	11-27	---	1.0-3.0	3.6-5.5	---	---	---	---
	27-60	---	1.0-3.0	3.6-5.5	---	---	---	---
Fs:								
Fallsington-----	0-11	---	2.0-5.0	3.6-5.5	---	---	---	---
	11-27	---	1.0-3.0	3.6-5.5	---	---	---	---
	27-60	---	1.0-3.0	3.6-5.5	---	---	---	---

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation exchange capacity	Effective cation exchange capacity	Soil reaction	Calcium carbon- ate	Gypsum	Salinity	Sodium adsorp- tion ratio
	In	meq/100 g	meq/100 g	pH	Pct	Pct	mmhos/cm	
GmB2: Glenelg-----	0-6	---	---	4.5-5.5	---	---	---	---
	6-24	---	---	4.5-6.5	---	---	---	---
	24-60	---	---	4.5-6.5	---	---	---	---
Manor-----	0-10	---	---	3.6-6.0	---	---	---	---
	10-20	---	---	3.6-6.0	---	---	---	---
	20-72	---	---	3.6-6.0	---	---	---	---
GmC2: Glenelg-----	0-6	---	---	4.5-5.5	---	---	---	---
	6-24	---	---	4.5-6.5	---	---	---	---
	24-60	---	---	4.5-6.5	---	---	---	---
Manor-----	0-10	---	---	3.6-6.0	---	---	---	---
	10-20	---	---	3.6-6.0	---	---	---	---
	20-72	---	---	3.6-6.0	---	---	---	---
GmC3: Glenelg-----	0-6	---	---	4.5-5.5	---	---	---	---
	6-24	---	---	4.5-6.5	---	---	---	---
	24-60	---	---	4.5-6.5	---	---	---	---
Manor-----	0-10	---	---	3.6-6.0	---	---	---	---
	10-20	---	---	3.6-6.0	---	---	---	---
	20-72	---	---	3.6-6.0	---	---	---	---
GmD2: Manor-----	0-10	---	---	3.6-6.0	---	---	---	---
	10-20	---	---	3.6-6.0	---	---	---	---
	20-72	---	---	3.6-6.0	---	---	---	---
Glenelg-----	0-6	---	---	4.5-5.5	---	---	---	---
	6-24	---	---	4.5-6.5	---	---	---	---
	24-60	---	---	4.5-6.5	---	---	---	---
GmD3: Manor-----	0-10	---	---	3.6-6.0	---	---	---	---
	10-20	---	---	3.6-6.0	---	---	---	---
	20-72	---	---	3.6-6.0	---	---	---	---
Glenelg-----	0-6	---	---	4.5-5.5	---	---	---	---
	6-24	---	---	4.5-6.5	---	---	---	---
	24-60	---	---	4.5-6.5	---	---	---	---
GmE: Manor-----	0-10	---	---	3.6-6.0	---	---	---	---
	10-20	---	---	3.6-6.0	---	---	---	---
	20-72	---	---	3.6-6.0	---	---	---	---
Glenelg-----	0-6	---	---	4.5-5.5	---	---	---	---
	6-24	---	---	4.5-6.5	---	---	---	---
	24-60	---	---	4.5-6.5	---	---	---	---
GnA: Glenville-----	0-9	10-20	---	4.5-7.3	---	---	---	---
	9-18	---	10-20	4.5-6.0	---	---	---	---
	18-40	---	10-20	4.5-6.0	---	---	---	---
	40-62	---	10-20	4.5-5.5	---	---	---	---

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation exchange capacity	Effective cation exchange capacity	Soil reaction	Calcium carbon- ate	Gypsum	Salinity	Sodium adsorp- tion ratio
	In	meq/100 g	meq/100 g	pH	Pct	Pct	mmhos/cm	
KrB:								
Kinkora-----	0-12	---	---	4.5-5.5	---	---	---	---
	12-30	---	---	4.5-5.0	---	---	---	---
	30-36	---	---	3.6-5.0	---	---	---	---
	36-60	---	---	---	---	---	---	---
Ma:								
Made Land And Urban Land-----	0-6	---	---	---	---	---	---	---
McB:								
Glenelg-----	0-6	---	---	4.5-5.5	---	---	---	---
	6-24	---	---	4.5-6.5	---	---	---	---
	24-60	---	---	4.5-6.5	---	---	---	---
Manor-----	0-10	---	---	3.6-6.0	---	---	---	---
	10-20	---	---	3.6-6.0	---	---	---	---
	20-72	---	---	3.6-6.0	---	---	---	---
Chester-----	0-15	---	---	4.5-5.5	---	---	---	---
	15-36	---	---	4.5-5.5	---	---	---	---
	36-62	---	---	4.5-5.5	---	---	---	---
Urban Land-----	0-6	---	---	---	---	---	---	---
MeA:								
Matapeake-----	0-16	---	---	4.5-5.5	---	---	---	---
	16-34	---	---	3.6-5.5	---	---	---	---
	34-62	---	---	3.6-5.5	---	---	---	---
Mattapex-----	0-15	---	2.0-15	3.6-5.5	---	---	---	---
	15-48	---	2.0-10	3.6-5.5	---	---	---	---
	48-54	---	2.0-5.0	3.6-5.5	---	---	---	---
	54-72	---	2.0-5.0	3.6-5.5	---	---	---	---
MeB2:								
Matapeake-----	0-16	---	---	4.5-5.5	---	---	---	---
	16-34	---	---	3.6-5.5	---	---	---	---
	34-62	---	---	3.6-5.5	---	---	---	---
MeC2:								
Matapeake-----	0-16	---	---	4.5-5.5	---	---	---	---
	16-34	---	---	3.6-5.5	---	---	---	---
	34-62	---	---	3.6-5.5	---	---	---	---
MeC3:								
Matapeake-----	0-16	---	---	4.5-5.5	---	---	---	---
	16-34	---	---	3.6-5.5	---	---	---	---
	34-62	---	---	3.6-5.5	---	---	---	---
MeD2:								
Matapeake-----	0-16	---	---	4.5-5.5	---	---	---	---
	16-34	---	---	3.6-5.5	---	---	---	---
	34-62	---	---	3.6-5.5	---	---	---	---
MeD3:								
Matapeake-----	0-16	---	---	4.5-5.5	---	---	---	---
	16-34	---	---	3.6-5.5	---	---	---	---
	34-62	---	---	3.6-5.5	---	---	---	---

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation exchange capacity	Effective cation exchange capacity	Soil reaction	Calcium carbon- ate	Gypsum	Salinity	Sodium adsorp- tion ratio
	In	meq/100 g	meq/100 g	pH	Pct	Pct	mmhos/cm	
MkA:								
Matapeake-----	0-16	---	---	4.5-5.5	---	---	---	---
	16-34	---	---	3.6-5.5	---	---	---	---
	34-62	---	---	3.6-5.5	---	---	---	---
MkB2:								
Matapeake-----	0-16	---	---	4.5-5.5	---	---	---	---
	16-34	---	---	3.6-5.5	---	---	---	---
	34-62	---	---	3.6-5.5	---	---	---	---
MkC2:								
Matapeake-----	0-16	---	---	4.5-5.5	---	---	---	---
	16-34	---	---	3.6-5.5	---	---	---	---
	34-62	---	---	3.6-5.5	---	---	---	---
MsB:								
Matapeake-----	0-16	---	---	4.5-5.5	---	---	---	---
	16-34	---	---	3.6-5.5	---	---	---	---
	34-62	---	---	3.6-5.5	---	---	---	---
Sassafras-----	0-9	---	2.0-10	3.6-5.5	---	---	---	---
	9-40	---	1.0-5.0	3.6-5.5	---	---	---	---
	40-70	---	1.0-5.0	3.6-5.5	---	---	---	---
Urban Land-----	---	---	---	---	---	---	---	---
MtA:								
Mattapex-----	0-15	---	2.0-15	3.6-5.5	---	---	---	---
	15-48	---	2.0-10	3.6-5.5	---	---	---	---
	48-54	---	2.0-5.0	3.6-5.5	---	---	---	---
	54-72	---	2.0-5.0	3.6-5.5	---	---	---	---
MtB2:								
Mattapex-----	0-15	---	2.0-15	3.6-5.5	---	---	---	---
	15-48	---	2.0-10	3.6-5.5	---	---	---	---
	48-54	---	2.0-5.0	3.6-5.5	---	---	---	---
	54-72	---	2.0-5.0	3.6-5.5	---	---	---	---
MtC2:								
Mattapex-----	0-15	---	2.0-15	3.6-5.5	---	---	---	---
	15-48	---	2.0-10	3.6-5.5	---	---	---	---
	48-54	---	2.0-5.0	3.6-5.5	---	---	---	---
	54-72	---	2.0-5.0	3.6-5.5	---	---	---	---
MtC3:								
Mattapex-----	0-15	---	2.0-15	3.6-5.5	---	---	---	---
	15-48	---	2.0-10	3.6-5.5	---	---	---	---
	48-54	---	2.0-5.0	3.6-5.5	---	---	---	---
	54-72	---	2.0-5.0	3.6-5.5	---	---	---	---
Mv:								
Mixed Alluvial Land--	0-3	---	---	---	---	---	---	---
	3-60	---	---	---	---	---	---	---
NmA:								
Neshaminy-----	0-11	---	20-30	4.5-6.0	---	---	---	---
	11-54	20-30	---	5.1-6.5	---	---	---	---
	54-58	---	---	---	---	---	---	---
Montalto-----	0-11	---	---	4.5-6.5	---	---	---	---
	11-45	---	---	5.1-6.5	---	---	---	---
	45-62	---	---	5.1-6.5	---	---	---	---

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation exchange capacity	Effective cation exchange capacity	Soil reaction	Calcium carbon- ate	Gypsum	Salinity	Sodium adsorp- tion ratio
	In	meq/100 g	meq/100 g	pH	Pct	Pct	mmhos/cm	
NtD:								
Neshaminy-----	0-11	---	20-30	4.5-6.0	---	---	---	---
	11-54	20-30	---	5.1-6.5	---	---	---	---
	54-58	---	---	---	---	---	---	---
Talleyville-----	0-10	---	---	4.5-5.5	---	---	---	---
	10-44	---	---	4.5-5.5	---	---	---	---
	44-51	---	---	5.1-5.5	---	---	---	---
	51-64	---	---	5.1-5.5	---	---	---	---
	64-72	---	---	5.1-5.5	---	---	---	---
Urban Land-----	---	---	---	---	---	---	---	---
Ot:								
Othello-----	0-10	---	8.0-20	4.5-5.5	---	---	---	---
	10-30	---	5.0-15	3.6-5.5	---	---	---	---
	30-52	---	1.0-5.0	3.6-5.5	---	---	---	---
	52-72	---	1.0-5.0	3.6-5.5	---	---	---	---
Ou:								
Urban Land-----	---	---	---	---	---	---	---	---
Fallsington-----	0-11	---	2.0-5.0	3.6-5.5	---	---	---	---
	11-27	---	1.0-3.0	3.6-5.5	---	---	---	---
	27-60	---	1.0-3.0	3.6-5.5	---	---	---	---
Othello-----	0-10	---	8.0-20	4.5-5.5	---	---	---	---
	10-30	---	5.0-15	3.6-5.5	---	---	---	---
	30-52	---	1.0-5.0	3.6-5.5	---	---	---	---
	52-72	---	1.0-5.0	3.6-5.5	---	---	---	---
Po:								
Pocomoke-----	0-10	---	---	3.6-5.5	---	---	---	---
	10-28	---	---	3.6-5.5	---	---	---	---
	28-40	---	---	3.6-5.5	---	---	---	---
	40-60	---	---	3.6-5.5	---	---	---	---
RuB2:								
Rumford-----	0-17	---	---	3.6-5.5	---	---	---	---
	17-37	---	---	3.6-6.0	---	---	---	---
	37-60	---	---	3.6-6.5	---	---	---	---
RuC2:								
Rumford-----	0-17	---	---	3.6-5.5	---	---	---	---
	17-37	---	---	3.6-6.0	---	---	---	---
	37-60	---	---	3.6-6.5	---	---	---	---
SaA:								
Sassafras-----	0-9	---	2.0-10	3.6-5.5	---	---	---	---
	9-40	---	1.0-5.0	3.6-5.5	---	---	---	---
	40-70	---	1.0-5.0	3.6-5.5	---	---	---	---
SaB2:								
Sassafras-----	0-9	---	2.0-10	3.6-5.5	---	---	---	---
	9-40	---	1.0-5.0	3.6-5.5	---	---	---	---
	40-70	---	1.0-5.0	3.6-5.5	---	---	---	---
SaC2:								
Sassafras-----	0-9	---	2.0-10	3.6-5.5	---	---	---	---
	9-40	---	1.0-5.0	3.6-5.5	---	---	---	---
	40-70	---	1.0-5.0	3.6-5.5	---	---	---	---

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation exchange capacity	Effective cation exchange capacity	Soil reaction	Calcium carbon- ate	Gypsum	Salinity	Sodium adsorp- tion ratio
	In	meq/100 g	meq/100 g	pH	Pct	Pct	mmhos/cm	
SaC3: Sassafras-----	0-9	---	2.0-10	3.6-5.5	---	---	---	---
	9-40	---	1.0-5.0	3.6-5.5	---	---	---	---
	40-70	---	1.0-5.0	3.6-5.5	---	---	---	---
SaD2: Sassafras-----	0-9	---	2.0-10	3.6-5.5	---	---	---	---
	9-40	---	1.0-5.0	3.6-5.5	---	---	---	---
	40-70	---	1.0-5.0	3.6-5.5	---	---	---	---
SaD3: Sassafras-----	0-9	---	2.0-10	3.6-5.5	---	---	---	---
	9-40	---	1.0-5.0	3.6-5.5	---	---	---	---
	40-70	---	1.0-5.0	3.6-5.5	---	---	---	---
SmE: Sassafras-----	0-9	---	2.0-10	3.6-5.5	---	---	---	---
	9-40	---	1.0-5.0	3.6-5.5	---	---	---	---
	40-70	---	1.0-5.0	3.6-5.5	---	---	---	---
Matapeake-----	0-16	---	---	4.5-5.5	---	---	---	---
	16-34	---	---	3.6-5.5	---	---	---	---
	34-62	---	---	3.6-5.5	---	---	---	---
StB: Silty And Clayey Land	0-7	---	---	3.6-5.0	---	---	---	---
	7-72	---	---	3.6-5.0	---	---	---	---
StC: Silty And Clayey Land	0-7	---	---	3.6-5.0	---	---	---	---
	7-72	---	---	3.6-5.0	---	---	---	---
StE: Silty And Clayey Land	0-7	---	---	3.6-5.0	---	---	---	---
	7-72	---	---	3.6-5.0	---	---	---	---
TaB2: Talleyville-----	0-10	---	---	4.5-5.5	---	---	---	---
	10-44	---	---	4.5-5.5	---	---	---	---
	44-51	---	---	5.1-5.5	---	---	---	---
	51-64	---	---	5.1-5.5	---	---	---	---
	64-72	---	---	5.1-5.5	---	---	---	---
TaC2: Talleyville-----	0-10	---	---	4.5-5.5	---	---	---	---
	10-44	---	---	4.5-5.5	---	---	---	---
	44-51	---	---	5.1-5.5	---	---	---	---
	51-64	---	---	5.1-5.5	---	---	---	---
	64-72	---	---	5.1-5.5	---	---	---	---
Tm: Tidal Marsh-----	0-14	100-200	---	4.5-7.3	---	---	2.0-16.0	---
	14-72	8.0-16	---	5.6-7.3	---	---	2.0-16.0	---
Wa: Watchung-----	0-9	---	---	4.5-6.5	---	---	---	---
	9-51	---	---	5.1-7.3	---	---	---	---
	51-66	---	---	5.6-7.3	---	---	---	---

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation exchange capacity	Effective cation exchange capacity	Soil reaction	Calcium carbon- ate	Gypsum	Salinity	Sodium adsorp- tion ratio
	In	meq/100 g	meq/100 g	pH	Pct	Pct	mmhos/cm	
WcA:								
Watchung-----	0-9	---	---	4.5-6.5	---	---	---	---
	9-51	---	---	5.1-7.3	---	---	---	---
	51-66	---	---	5.6-7.3	---	---	---	---
Calvert-----	0-9	---	---	4.5-6.5	---	---	---	---
	9-51	---	---	5.1-7.3	---	---	---	---
	51-66	---	---	5.6-7.3	---	---	---	---
WcB:								
Watchung-----	0-9	---	---	4.5-6.5	---	---	---	---
	9-51	---	---	5.1-7.3	---	---	---	---
	51-66	---	---	5.6-7.3	---	---	---	---
Calvert-----	0-9	---	---	4.5-6.5	---	---	---	---
	9-51	---	---	5.1-7.3	---	---	---	---
	51-66	---	---	5.6-7.3	---	---	---	---
WoA:								
Woodstown-----	0-11	---	2.0-10	3.6-5.5	---	---	---	---
	11-29	---	1.0-5.0	3.6-5.5	---	---	---	---
	29-60	---	1.0-5.0	3.6-5.5	---	---	---	---
WoB2:								
Woodstown-----	0-11	---	2.0-10	3.6-5.5	---	---	---	---
	11-29	---	1.0-5.0	3.6-5.5	---	---	---	---
	29-60	---	1.0-5.0	3.6-5.5	---	---	---	---
WsA:								
Woodstown-----	0-11	---	2.0-10	3.6-5.5	---	---	---	---
	11-29	---	1.0-5.0	3.6-5.5	---	---	---	---
	29-60	---	1.0-5.0	3.6-5.5	---	---	---	---
WsB2:								
Woodstown-----	0-11	---	2.0-10	3.6-5.5	---	---	---	---
	11-29	---	1.0-5.0	3.6-5.5	---	---	---	---
	29-60	---	1.0-5.0	3.6-5.5	---	---	---	---

