

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Aldino-----	85	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Depth to saturated zone	0.19
AdB2: Aldino-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
Am: Aldino-----	30	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
Keyport-----	30	Not limited		Not limited		Not limited	
Mattapex-----	20	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
Urban Land-----	10	Not rated		Not rated		Not rated	
Ba: Bayboro-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
BuA: Butlertown-----	80	Not limited		Not limited		Not limited	
BuB2: Butlertown-----	90	Not limited		Not limited		Not limited	
BuC2: Butlertown-----	90	Not limited		Not limited		Not limited	
ChA: Chester-----	90	Not Rated		Not Rated		Not Rated	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ChB2: Chester-----	88	Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"	
ChC2: Chester-----	85	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Slope	0.63
ChC3: Chester-----	80	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Slope	0.63
ChD2: Chester-----	85	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Slope	0.50	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Slope	1.00
ChD3: Chester-----	80	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Slope	0.50	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Slope	1.00
Co: Codorus-----	85	Somewhat limited		Somewhat limited		Somewhat limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	0.44	Depth to saturated zone	0.44	Depth to saturated zone	0.75
						Flooding	0.60
CsB2: Collington-----	88	Not limited		Not limited		Not limited	
CsC3: Collington-----	90	Not limited		Not limited		Not limited	
CsD3: Collington-----	92	Not limited		Not limited		Somewhat limited Slope	0.84
Cu: Comus-----	85	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"	
DeA: Delanco-----	85	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.48
DeB2: Delanco-----	90	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.48
EaB2: Elioak-----	85	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"	
EkC3: Elioak-----	85	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Slope Droughty	0.63 0.01
EkD3: Elioak-----	80	Not Rated Not Rated; Surface Fragments > 75mm		Not Rated Not Rated; Surface Fragments > 75mm		Not Rated Not Rated; Surface Fragments > 75mm	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Not Rated; Sieve size, 3 to 10", > 10" Slope	0.50	Not Rated; Sieve size, 3 to 10", > 10"		Not Rated; Sieve size, 3 to 10", > 10" Slope Droughty	1.00 0.01
ElA: Elkton-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
EmA: Elkton-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
EmB: Elkton-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
EnB2: Elsinboro-----	85	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"	
EnC2: Elsinboro-----	90	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Water erosion	1.00	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Water erosion	1.00	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Slope	0.63
EuB: Delanco-----	35	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.48
Elsinboro-----	35	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"	
Urban Land-----	30	Not Rated Not Rated; Surface Fragments > 75mm		Not Rated Not Rated; Surface Fragments > 75mm		Not Rated Not Rated; Surface clay percent	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Not Rated; Sieve size, 3 to 10", > 10" Not Rated; Unified		Not Rated; Sieve size, 3 to 10", > 10" Not Rated; Unified		Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Not Rated; pH	
		Not Rated; % surface sand or clay Not Rated; Surface clay percent or taxonomic class		Not Rated; % surface sand or clay Not Rated; Surface clay percent or taxonomic class		Not Rated; AWC	
Fa: Fallsington-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Fs: Fallsington-----	84	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
GmB2: Glenelg-----	45	Not limited		Not limited		Not limited	
Manor-----	35	Not limited		Not limited		Not limited	
GmC2: Glenelg-----	45	Not limited		Not limited		Somewhat limited Slope	0.63
Manor-----	35	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
GmC3: Glenelg-----	45	Not limited		Not limited		Somewhat limited Slope	0.63
Manor-----	35	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
GmD2: Manor-----	50	Very limited Water erosion Slope	1.00 0.50	Very limited Water erosion	1.00	Very limited Slope	1.00
Glenelg-----	35	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
GmD3: Manor-----	50	Very limited Water erosion Slope	1.00 0.50	Very limited Water erosion	1.00	Very limited Slope	1.00
Glenelg-----	35	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GmE: Manor-----	50	Very limited Slope Water erosion	1.00 1.00	Very limited Water erosion Slope	1.00 0.78	Very limited Slope	1.00
Glenelg-----	35	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Slope	1.00
GnA: Glenville-----	85	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.48
GnB2: Glenville-----	85	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.48
Gp: Gravel Pits And Quarries-----	80	Not rated		Not rated		Not rated	
Ha: Hatboro-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
HbA: Hatboro-----	58	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
HbC: Hatboro-----	55	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Jo: Johnston-----	90	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
KeA: Keyport-----	85	Not limited		Not limited		Not limited	
KeB2: Keyport-----	85	Not limited		Not limited		Not limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KeC2: Keyport-----	95	Not limited		Not limited		Not limited	
KpC3: Keyport-----	92	Not limited		Not limited		Not limited	
KrA: Kinkora-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
KrB: Kinkora-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Ma: Made Land And Urban Land-----	100	Not rated		Not rated		Not rated	
McB: Glenelg-----	30	Not limited		Not limited		Not limited	
Manor-----	30	Not limited		Not limited		Not limited	
Chester-----	20	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"	
Urban Land-----	20	Not rated		Not rated		Not rated	
MeA: Matapeake-----	85	Not limited		Not limited		Not limited	
Mattapex-----	10	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
MeB2: Matapeake-----	90	Not limited		Not limited		Not limited	
MeC2: Matapeake-----	92	Not limited		Not limited		Not limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MeC3: Matapeake-----	95	Not limited		Not limited		Not limited	
MeD2: Matapeake-----	95	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.84
MeD3: Matapeake-----	95	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.84
MkA: Matapeake-----	85	Not limited		Not limited		Not limited	
MkB2: Matapeake-----	80	Not limited		Not limited		Not limited	
MkC2: Matapeake-----	90	Not limited		Not limited		Not limited	
MsB: Matapeake-----	40	Not limited		Not limited		Not limited	
Sassafras-----	40	Not limited		Not limited		Not limited	
Urban Land-----	20	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Not Rated; Unified Not Rated; % surface sand or clay Not Rated; Surface clay percent or taxonomic class		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Not Rated; Unified Not Rated; % surface sand or clay Not Rated; Surface clay percent or taxonomic class		Not Rated Not Rated; Surface clay percent Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Not Rated; pH Not Rated; AWC	
MtA: Mattapex-----	80	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
MtB2: Mattapex-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
MtC2: Mattapex-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MtC3: Mattapex-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
Mv: Mixed Alluvial Land-	90	Not rated		Not rated		Not rated	
NmA: Neshaminy-----	75	Not limited		Not limited		Somewhat limited Content of large stones	0.01
Montalto-----	25	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"	
NmB2: Neshaminy-----	70	Not limited		Not limited		Somewhat limited Content of large stones	0.01
Montalto-----	30	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"	
NmC2: Neshaminy-----	65	Not limited		Not limited		Somewhat limited Slope Content of large stones	0.63 0.01
Montalto-----	35	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Slope	0.63
NnC3: Neshaminy-----	65	Not limited		Not limited		Somewhat limited Slope	0.63

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Montalto-----	35	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Slope	0.01 0.63
NnD3: Neshaminy-----	60	Somewhat limited Slope	0.50	Not limited		Very limited Slope Content of large stones	1.00 0.01
Montalto-----	40	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Slope	0.50	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10"		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Slope	1.00
NsE: Neshaminy-----	60	Somewhat limited Slope	0.32	Not limited		Very limited Slope Gravel content Content of large stones	1.00 0.01 0.01
Talleyville-----	40	Not limited		Not limited		Not limited	
NtB: Neshaminy-----	50	Not limited		Not limited		Somewhat limited Content of large stones	0.01
Talleyville-----	32	Not limited		Not limited		Not limited	
Urban Land-----	18	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Not Rated; Unified Not Rated; % surface sand or clay		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Not Rated; Unified Not Rated; % surface sand or clay		Not Rated Not Rated; Surface clay percent Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Not Rated; pH	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
NtD: Neshaminy-----	50	Not Rated; Surface clay percent or taxonomic class Somewhat limited Slope	0.08	Not Rated; Surface clay percent or taxonomic class Not limited		Not Rated; AWC Very limited Slope Content of large stones	1.00 0.01
Talleyville-----	30	Not limited		Not limited		Not limited	
Urban Land-----	20	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Not Rated; Unified Not Rated; % surface sand or clay Not Rated; Surface clay percent or taxonomic class		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Not Rated; Unified Not Rated; % surface sand or clay Not Rated; Surface clay percent or taxonomic class		Not Rated Not Rated; Surface clay percent Not Rated; Sieve size, 3 to 10", > 10" Not Rated; pH Not Rated; AWC	
Ot: Othello-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Ou: Urban Land-----	70	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Not Rated; Unified Not Rated; % surface sand or clay Not Rated; Surface clay percent or taxonomic class		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Not Rated; Unified Not Rated; % surface sand or clay Not Rated; Surface clay percent or taxonomic class		Not Rated Not Rated; Surface clay percent Not Rated; Sieve size, 3 to 10", > 10" Not Rated; pH Not Rated; AWC	
Fallsington-----	15	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Othello-----	15	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Po: Pocomoke-----	85	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
RuB2: Rumford-----	85	Somewhat limited Too sandy	0.81	Somewhat limited Too sandy	0.81	Not limited	
RuC2: Rumford-----	90	Somewhat limited Too sandy	0.81	Somewhat limited Too sandy	0.81	Not limited	
SaA: Sassafras-----	90	Not limited		Not limited		Not limited	
SaB2: Sassafras-----	90	Not limited		Not limited		Not limited	
SaC2: Sassafras-----	85	Not limited		Not limited		Not limited	
SaC3: Sassafras-----	85	Not limited		Not limited		Not limited	
SaD2: Sassafras-----	85	Not limited		Not limited		Somewhat limited Slope	0.84
SaD3: Sassafras-----	90	Not limited		Not limited		Somewhat limited Slope	0.84
SmE: Sassafras-----	50	Somewhat limited Slope	0.92	Not limited		Very limited Slope	1.00
Matapeake-----	40	Very limited Water erosion Slope	1.00 0.92	Very limited Water erosion	1.00	Very limited Slope	1.00
StB: Silty And Clayey Land-----	85	Not rated		Not rated		Not rated	
StC: Silty And Clayey Land-----	85	Not rated		Not rated		Not rated	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
StE: Silty And Clayey Land-----	90	Not rated		Not rated		Not rated	
TaB2: Talleyville-----	80	Not limited		Not limited		Not limited	
TaC2: Talleyville-----	85	Not limited		Not limited		Not limited	
Tm: Tidal Marsh-----	90	Not rated		Not rated		Not rated	
Wa: Watchung-----	90	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Depth to saturated zone	1.00	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Depth to saturated zone	1.00	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Depth to saturated zone	1.00
WcA: Watchung-----	55	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Depth to saturated zone	1.00	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Depth to saturated zone	1.00	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Depth to saturated zone	1.00
Calvert-----	35	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Depth to saturated zone	1.00	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Depth to saturated zone	1.00	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size, 3 to 10", > 10" Depth to saturated zone	1.00
WcB: Watchung-----	50	Not Rated Not Rated; Surface Fragments > 75mm		Not Rated Not Rated; Surface Fragments > 75mm		Not Rated Not Rated; Surface Fragments > 75mm	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Calvert-----	40	Not Rated; Sieve size, 3 to 10", > 10"	1.00	Not Rated; Sieve size, 3 to 10", > 10"	1.00	Not Rated; Sieve size, 3 to 10", > 10"	1.00
		Depth to saturated zone		Depth to saturated zone		Depth to saturated zone	
WoA: Woodstown-----	90	Not Rated	1.00	Not Rated	1.00	Not Rated	1.00
		Not Rated; Surface Fragments > 75mm		Not Rated; Surface Fragments > 75mm		Not Rated; Surface Fragments > 75mm	
WoB2: Woodstown-----	85	Not Rated; Sieve size, 3 to 10", > 10"	1.00	Not Rated; Sieve size, 3 to 10", > 10"	1.00	Not Rated; Sieve size, 3 to 10", > 10"	1.00
		Depth to saturated zone		Depth to saturated zone		Depth to saturated zone	
WsA: Woodstown-----	88	Not limited		Not limited		Not limited	
WsB2: Woodstown-----	85	Not limited		Not limited		Not limited	

