

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Aldino-----	85	Somewhat limited Seepage	0.72	Not Rated		Not Rated	
		Depth to bedrock	0.01	Not Rated; Fragments > 75mm		Not Rated; Fragments > 75mm	
				Depth to saturated zone	1.00		
				Piping	0.97		
				Thin layer	0.46		
AdB2: Aldino-----	90	Somewhat limited Seepage	0.72	Very limited		Unlimited	
		Depth to bedrock	0.01	Depth to saturated zone	1.00		
				Piping	0.60		
				Thin layer	0.46		
Am: Aldino-----	30	Somewhat limited Seepage	0.72	Very limited		Unlimited	
		Depth to bedrock	0.01	Depth to saturated zone	1.00		
				Piping	0.60		
				Thin layer	0.46		
Keyport-----	30	Very limited Seepage	1.00	Somewhat limited		Unlimited	
				Depth to saturated zone	0.68		
				Piping	0.14		
Mattapex-----	20	Very limited Seepage	1.00	Somewhat limited		Somewhat limited	
				Piping	0.97	Cutbanks cave	0.10
				Depth to saturated zone	0.95	Depth to water	0.02
				Seepage	0.01		
Urban Land-----	10	Not rated		Not rated		Not rated	
Ba: Bayboro-----	85	Not limited		Very limited		Somewhat limited	
				Depth to saturated zone	1.00	Slow refill	0.28
				Hard to pack	0.17	Cutbanks cave	0.10
BuA: Butlertown-----	80	Very limited Seepage	1.00	Somewhat limited		Unlimited	
				Piping	0.85		
				Seepage	0.12		

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BuB2: Butlertown-----	90	Somewhat limited Seepage	0.72	Very limited Piping Depth to saturated zone	1.00 0.43	Unlimited	
BuC2: Butlertown-----	90	Somewhat limited Seepage	0.72	Very limited Piping Depth to saturated zone	1.00 0.43	Unlimited	
ChA: Chester-----	90	Somewhat limited Seepage	0.72	Not Rated Not Rated; Fragments > 75mm Piping	1.00	Not Rated Not Rated; Fragments > 75mm	
ChB2: Chester-----	88	Somewhat limited Seepage	0.72	Not Rated Not Rated; Fragments > 75mm Piping	1.00	Not Rated Not Rated; Fragments > 75mm	
ChC2: Chester-----	85	Somewhat limited Seepage	0.72	Not Rated Not Rated; Fragments > 75mm Piping	1.00	Not Rated Not Rated; Fragments > 75mm	
		Slope	0.01				
ChC3: Chester-----	80	Somewhat limited Seepage	0.72	Not Rated Not Rated; Fragments > 75mm Piping	1.00	Not Rated Not Rated; Fragments > 75mm	
		Slope	0.01				
ChD2: Chester-----	85	Somewhat limited Seepage	0.72	Not Rated Not Rated; Fragments > 75mm Piping	1.00	Not Rated Not Rated; Fragments > 75mm	
		Slope	0.12				
ChD3: Chester-----	80	Somewhat limited Seepage	0.72	Not Rated Not Rated; Fragments > 75mm Piping	1.00	Not Rated Not Rated; Fragments > 75mm	
		Slope	0.12				
Co: Codorus-----	85	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping	1.00 1.00	Very limited Cutbanks cave	1.00
CsB2: Collington-----	88	Very limited Seepage	1.00	Somewhat limited Seepage	0.11	Unlimited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CsC3: Collington-----	90	Very limited Seepage	1.00	Somewhat limited Seepage	0.11	Unlimited	
CsD3: Collington-----	92	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.11	Unlimited	
Cu: Comus-----	85	Very limited Seepage	1.00	Not Rated Not Rated; Fragments > 75mm Piping	1.00	Not Rated Not Rated; Fragments > 75mm	
DeA: Delanco-----	85	Somewhat limited Seepage	0.72	Very limited Depth to saturated zone Piping	1.00 0.97	Somewhat limited Slow refill Cutbanks cave	0.28 0.10
DeB2: Delanco-----	90	Somewhat limited Seepage	0.72	Very limited Depth to saturated zone Piping	1.00 0.97	Somewhat limited Slow refill Cutbanks cave	0.28 0.10
EaB2: Elioak-----	85	Somewhat limited Seepage	0.72	Not Rated Not Rated; Fragments > 75mm Piping	0.82	Not Rated Not Rated; Fragments > 75mm	
EkC3: Elioak-----	85	Somewhat limited Seepage Slope	0.72 0.01	Not Rated Not Rated; Fragments > 75mm Piping	0.59	Not Rated Not Rated; Fragments > 75mm	
EkD3: Elioak-----	80	Somewhat limited Seepage Slope	0.72 0.12	Not Rated Not Rated; Fragments > 75mm Piping	0.59	Not Rated Not Rated; Fragments > 75mm	
ElA: Elkton-----	90	Somewhat limited Seepage	0.04	Very limited Depth to saturated zone Piping	1.00 0.44	Somewhat limited Slow refill Cutbanks cave	0.28 0.10
EmA: Elkton-----	90	Somewhat limited Seepage	0.04	Very limited Depth to saturated zone Piping	1.00 0.52	Somewhat limited Slow refill Cutbanks cave	0.28 0.10
EmB: Elkton-----	85	Somewhat limited		Very limited		Somewhat limited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EnB2: Elsinboro-----	85	Seepage	0.04	Depth to saturated zone	1.00	Slow refill	0.28
				Piping	0.52	Cutbanks cave	0.10
EnC2: Elsinboro-----	90	Very limited Seepage	1.00	Not Rated Not Rated; Fragments > 75mm Piping	0.96	Not Rated Not Rated; Fragments > 75mm Depth to water	1.00
		Slope	0.01	Not Rated Not Rated; Fragments > 75mm Piping	0.96	Not Rated Not Rated; Fragments > 75mm Depth to water	1.00
EuB: Delanco-----	35	Somewhat limited Seepage	0.72	Very limited Depth to saturated zone Piping	1.00	Somewhat limited Slow refill	0.28
					0.97	Cutbanks cave	0.10
Elsinboro-----	35	Very limited Seepage	1.00	Not Rated Not Rated; Fragments > 75mm Piping	0.96	Not Rated Not Rated; Fragments > 75mm Depth to water	1.00
Urban Land-----	30	Not limited		Not Rated Not Rated; Fragments > 75mm Not Rated  Not Rated Not Rated		Not Rated Not Rated; Texture class Not Rated; Fragments > 75mm	
Fa: Fallsington-----	85	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Cutbanks cave	1.00
Fs: Fallsington-----	84	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Cutbanks cave	1.00
GmB2: Glenelg-----	45	Somewhat limited Seepage	0.72	Very limited Piping	1.00	Unlimited	
Manor-----	35	Very limited Seepage	1.00	Very limited Piping	1.00	Unlimited	
GmC2: Glenelg-----	45	Somewhat limited Seepage Slope	0.72 0.01	Very limited Piping	1.00	Unlimited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Manor-----	35	Very limited Seepage Slope	1.00 0.01	Very limited Piping	1.00	Unlimited	
GmC3: Glenelg-----	45	Somewhat limited Seepage Slope	0.72 0.01	Very limited Piping	1.00	Unlimited	
Manor-----	35	Very limited Seepage Slope	1.00 0.01	Very limited Piping	1.00	Unlimited	
GmD2: Manor-----	50	Very limited Seepage Slope	1.00 0.12	Very limited Piping	1.00	Unlimited	
Glenelg-----	35	Somewhat limited Seepage Slope	0.72 0.12	Very limited Piping	1.00	Unlimited	
GmD3: Manor-----	50	Very limited Seepage Slope	1.00 0.12	Very limited Piping	1.00	Unlimited	
Glenelg-----	35	Somewhat limited Seepage Slope	0.72 0.12	Very limited Piping	1.00	Unlimited	
GmE: Manor-----	50	Very limited Seepage Slope	1.00 0.72	Very limited Piping	1.00	Unlimited	
Glenelg-----	35	Somewhat limited Seepage Slope	0.72 0.72	Very limited Piping	1.00	Unlimited	
GnA: Glenville-----	85	Somewhat limited Seepage	0.04	Very limited Depth to saturated zone Piping	1.00 1.00	Unlimited	
GnB2: Glenville-----	85	Somewhat limited Seepage	0.04	Very limited Depth to saturated zone Piping	1.00 1.00	Unlimited	
Gp: Gravel Pits And Quarries-----	80	Not rated		Not rated		Not rated	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ha: Hatboro-----	90	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping	1.00 1.00	Very limited Cutbanks cave	1.00
HbA: Hatboro-----	58	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping	1.00 1.00	Very limited Cutbanks cave	1.00
HbC: Hatboro-----	55	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping	1.00 1.00	Very limited Cutbanks cave	1.00
Jo: Johnston-----	90	Very limited Seepage	1.00	Very limited Ponding Depth to saturated zone Seepage	1.00 1.00 0.07	Very limited Cutbanks cave	1.00
KeA: Keypoint-----	85	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Piping	0.68 0.14	Unlimited	
KeB2: Keypoint-----	85	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Piping	0.68 0.14	Unlimited	
KeC2: Keypoint-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Piping	0.68 0.14	Unlimited	
KpC3: Keypoint-----	92	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Piping	0.68 0.14	Unlimited	
KrA: Kinkora-----	90	Somewhat limited Seepage	0.72	Not Rated Not Rated Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.28 0.10
KrB: Kinkora-----	85	Somewhat limited Seepage	0.72	Not Rated Not Rated		Somewhat limited Slow refill	0.28

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
				Depth to saturated zone	1.00	Cutbanks cave	0.10
Ma: Made Land And Urban Land-----	100	Not rated		Not rated		Not rated	
McB: Glenelg-----	30	Somewhat limited Seepage	0.72	Very limited Piping	1.00	Unlimited	
Manor-----	30	Very limited Seepage	1.00	Very limited Piping	1.00	Unlimited	
Chester-----	20	Somewhat limited Seepage	0.72	Not Rated Not Rated; Fragments > 75mm Piping	1.00	Not Rated Not Rated; Fragments > 75mm	
Urban Land-----	20	Not rated		Not rated		Not rated	
MeA: Matapeake-----	85	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Unlimited	
Mattapex-----	10	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone Seepage	1.00 0.95 0.10	Very limited Cutbanks cave Depth to water	1.00 0.02
MeB2: Matapeake-----	90	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Unlimited	
MeC2: Matapeake-----	92	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Unlimited	
MeC3: Matapeake-----	95	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Unlimited	
MeD2: Matapeake-----	95	Very limited		Very limited		Unlimited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	1.00	Piping	1.00		
		Slope	0.01	Seepage	0.12		
MeD3: Matapeake-----	95	Very limited Seepage Slope	1.00 0.01	Very limited Piping Seepage	1.00 0.12	Unlimited	
MkA: Matapeake-----	85	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Unlimited	
MkB2: Matapeake-----	80	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Unlimited	
MkC2: Matapeake-----	90	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Unlimited	
MsB: Matapeake-----	40	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Unlimited	
Sassafras-----	40	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Unlimited	
Urban Land-----	20	Not limited		Not Rated Not Rated; Fragments > 75mm Not Rated  Not Rated Not Rated		Not Rated Not Rated; Texture class Not Rated; Fragments > 75mm	
MtA: Mattapex-----	80	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone Seepage	1.00 0.95 0.10	Very limited Cutbanks cave Depth to water	1.00 0.02
MtB2: Mattapex-----	85	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone Seepage	1.00 0.95 0.10	Very limited Cutbanks cave Depth to water	1.00 0.02
MtC2: Mattapex-----	85	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone	1.00 0.95	Very limited Cutbanks cave Depth to water	1.00 0.02

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MtC3: Mattapex-----	85	Very limited Seepage	1.00	Seepage	0.10	Very limited Cutbanks cave Depth to water	1.00 0.02
				Very limited Piping Depth to saturated zone Seepage	1.00 0.95 0.10		
Mv: Mixed Alluvial Land-	90	Not rated		Not rated		Not rated	
NmA: Neshaminy-----	75	Somewhat limited Seepage	0.54	Not Rated Not Rated Piping	1.00	Unlimited	
Montalto-----	25	Somewhat limited Seepage	0.72	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm	
NmB2: Neshaminy-----	70	Somewhat limited Seepage	0.54	Not Rated Not Rated Piping	1.00	Unlimited	
Montalto-----	30	Somewhat limited Seepage	0.72	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm	
NmC2: Neshaminy-----	65	Somewhat limited Seepage Slope	0.54 0.01	Not Rated Not Rated Piping	1.00	Unlimited	
Montalto-----	35	Somewhat limited Seepage Slope	0.72 0.01	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm	
NnC3: Neshaminy-----	65	Somewhat limited Seepage Slope	0.54 0.01	Not Rated Not Rated Piping	1.00	Unlimited	
Montalto-----	35	Somewhat limited Seepage Slope	0.72 0.01	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm	
NnD3: Neshaminy-----	60	Somewhat limited Seepage Slope	0.54 0.12	Not Rated Not Rated Piping	1.00	Unlimited	
Montalto-----	40	Somewhat limited		Not Rated		Not Rated	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	0.72	Not Rated; Fragments > 75mm		Not Rated; Fragments > 75mm	
		Slope	0.12				
NsE: Neshaminy-----	60	Somewhat limited Seepage	0.54	Not Rated Not Rated		Unlimited	
		Slope	0.10	Piping	1.00		
Talleyville-----	40	Somewhat limited Seepage	0.04	Somewhat limited Piping	0.01	Unlimited	
NtB: Neshaminy-----	50	Somewhat limited Seepage	0.54	Not Rated Not Rated Piping	1.00	Unlimited	
Talleyville-----	32	Somewhat limited Seepage	0.04	Somewhat limited Piping	0.01	Unlimited	
Urban Land-----	18	Not limited		Not Rated Not Rated; Fragments > 75mm Not Rated		Not Rated Not Rated; Texture class Not Rated; Fragments > 75mm	
NtD: Neshaminy-----	50	Somewhat limited Seepage	0.54	Not Rated Not Rated		Unlimited	
		Slope	0.06	Piping	1.00		
Talleyville-----	30	Somewhat limited Seepage	0.04	Somewhat limited Piping	0.01	Unlimited	
Urban Land-----	20	Somewhat limited Slope	0.06	Not Rated Not Rated; Fragments > 75mm Not Rated		Not Rated Not Rated; Texture class Not Rated; Fragments > 75mm	
Ot: Othello-----	90	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping Seepage	1.00 1.00 0.12	Very limited Cutbanks cave	1.00
Ou: Urban Land-----	70	Not limited		Not Rated Not Rated; Fragments > 75mm Not Rated		Not Rated Not Rated; Texture class Not Rated; Fragments > 75mm	
				Not Rated			

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fallsington-----	15	Very limited Seepage	1.00	Not Rated Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Cutbanks cave	1.00
Othello-----	15	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping Seepage	1.00 1.00 0.12	Very limited Cutbanks cave	1.00
Po: Pocomoke-----	85	Very limited Seepage	1.00	Very limited Ponding Depth to saturated zone Seepage	1.00 1.00 0.06	Very limited Cutbanks cave	1.00
RuB2: Rumford-----	85	Very limited Seepage	1.00	Somewhat limited Seepage	0.02	Unlimited	
RuC2: Rumford-----	90	Very limited Seepage	1.00	Somewhat limited Seepage	0.02	Unlimited	
SaA: Sassafras-----	90	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Unlimited	
SaB2: Sassafras-----	90	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Unlimited	
SaC2: Sassafras-----	85	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Unlimited	
SaC3: Sassafras-----	85	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Unlimited	
SaD2: Sassafras-----	85	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.03	Unlimited	
SaD3: Sassafras-----	90	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.03	Unlimited	
SmE: Sassafras-----	50	Very limited Seepage Slope	1.00 0.21	Somewhat limited Seepage	0.03	Unlimited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Matapeake-----	40	Very limited Seepage Slope	1.00 0.21	Very limited Piping Seepage	1.00 0.12	Unlimited	
StB: Silty And Clayey Land-----	85	Not rated		Not rated		Not rated	
StC: Silty And Clayey Land-----	85	Not rated		Not rated		Not rated	
StE: Silty And Clayey Land-----	90	Not rated		Not rated		Not rated	
TaB2: Talleyville-----	80	Somewhat limited Seepage	0.04	Somewhat limited Piping	0.01	Unlimited	
TaC2: Talleyville-----	85	Somewhat limited Seepage	0.04	Somewhat limited Piping	0.01	Unlimited	
Tm: Tidal Marsh-----	90	Not rated		Not rated		Not rated	
Wa: Watchung-----	90	Somewhat limited Seepage	0.54	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone	1.00	Not Rated Not Rated; Fragments > 75mm Slow refill Cutbanks cave	0.46 0.10
WcA: Watchung-----	55	Somewhat limited Seepage	0.54	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone	1.00	Not Rated Not Rated; Fragments > 75mm Slow refill Cutbanks cave	0.46 0.10
Calvert-----	35	Somewhat limited Seepage	0.54	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone	1.00	Not Rated Not Rated; Fragments > 75mm Slow refill Cutbanks cave	0.46 0.10

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WcB: Watchung-----	50	Somewhat limited Seepage	0.54	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone	1.00	Not Rated Not Rated; Fragments > 75mm Slow refill	0.46
Calvert-----	40	Somewhat limited Seepage	0.54	Not Rated Not Rated; Fragments > 75mm Depth to saturated zone	1.00	Cutbanks cave Not Rated Not Rated; Fragments > 75mm Slow refill	0.10 0.46
WoA: Woodstown-----	90	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Cutbanks cave Depth to water	1.00 0.07
WoB2: Woodstown-----	85	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Cutbanks cave Depth to water	1.00 0.07
WsA: Woodstown-----	88	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Cutbanks cave Depth to water	1.00 0.07
WsB2: Woodstown-----	85	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Cutbanks cave Depth to water	1.00 0.07

