

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Bd: Berryland-----	85	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
Bo: Borrow Pits-----	70	Not rated		Not rated		Not rated	
Co: Dune Land-----	60	Not rated		Not rated		Not rated	
Coastal Beach-----	40	Not rated		Not rated		Not rated	
El: Elkton-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Em: Elkton-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
EoB: Evesboro-----	80	Not limited		Not limited		Not limited	
EoD: Evesboro-----	90	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
EsD: Evesboro-----	80	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
EvA: Evesboro-----	60	Not limited		Not limited		Not limited	
EvB: Evesboro-----	77	Not limited		Not limited		Not limited	
Fa: Fallsington-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fs: Fallsington-----	88	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Ft: Fill Land-----	85	Not rated		Not rated		Not rated	
Jo: Johnston-----	70	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
Ka: Kalmia-----	75	Not limited		Not limited		Not limited	
KbA: Kenansville-----	84	Not limited		Not limited		Not limited	
KbB: Kenansville-----	85	Not limited		Not limited		Not limited	
KfA: Keyport-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
KfB2: Keyport-----	90	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
Kl: Klej-----	85	Somewhat limited Depth to saturated zone	0.98	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.98
Mm: Matawan-----	90	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
Mn: Matawan-----	88	Not limited		Very limited Depth to saturated zone	1.00	Not limited	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mu: Muck-----	90	Not rated		Not rated		Not rated	
Os: Osier-----	88	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Pm: Pocomoke-----	72	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
Pt: Portsmouth-----	90	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
RuA: Rumford-----	80	Not limited		Not limited		Not limited	
RuB: Rumford-----	85	Not limited		Not limited		Not limited	
RuC: Rumford-----	85	Not limited		Not limited		Very limited Slope	1.00
Ry: Rutlege-----	80	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
SaA: Sassafras-----	80	Not limited		Not limited		Not limited	
SaB: Sassafras-----	95	Not limited		Not limited		Not limited	
SaC2: Sassafras-----	80	Not limited		Not limited		Very limited Slope	1.00
SaD: Sassafras-----	80	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
SfA: Sassafras-----	80	Not limited		Not limited		Not limited	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SfB: Sassafras-----	85	Not limited		Not limited		Not limited	
Sw: Swamp-----	75	Not rated		Not rated		Not rated	
Tf: Tidal Marsh-----	75	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	90	Not rated		Not rated		Not rated	
Wo: Woodstown-----	85	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
Ws: Woodstown-----	85	Not limited		Very limited Depth to saturated zone	1.00	Not limited	

