

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Bd: Berryland-----	85	Very limited Ponding Depth to saturated zone Filtering capacity Flooding	1.00 1.00 1.00 0.40	Very limited Ponding Seepage Flooding	1.00 1.00 0.40
Bo: Borrow Pits-----	70	Not rated		Not rated	
Co: Dune Land-----	60	Not rated		Not rated	
Coastal Beach-----	40	Not rated		Not rated	
El: Elkton-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not limited	
Em: Elkton-----	85	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not limited	
EoB: Evesboro-----	80	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.08
EoD: Evesboro-----	90	Very limited Filtering capacity Slope	1.00 0.16	Very limited Seepage Slope	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EsD: Evesboro-----	80	Very limited Filtering capacity Slope	1.00 0.16	Very limited Seepage Slope	1.00 1.00
EvA: Evesboro-----	60	Very limited Restricted permeability	1.00	Not limited	
EvB: Evesboro-----	77	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.32
Fa: Fallsington-----	85	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.72	Very limited Seepage	1.00
Fs: Fallsington-----	88	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.72	Very limited Seepage	1.00
Ft: Fill Land-----	85	Not rated		Not rated	
Jo: Johnston-----	70	Very limited Flooding Ponding Depth to saturated zone Filtering capacity	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Seepage	1.00 1.00 1.00
Ka: Kalmia-----	75	Very limited Filtering capacity Restricted permeability	1.00 0.72	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KbA: Kenansville-----	84	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
KbB: Kenansville-----	85	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
KfA: Keyport-----	85	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Somewhat limited Depth to saturated zone	0.96
KfB2: Keyport-----	90	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.96 0.32
Kl: Klej-----	85	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.81	Very limited Seepage	1.00
Mm: Matawan-----	90	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Very limited Seepage	1.00
Mn: Matawan-----	88	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Mu: Muck-----	90	Not rated		Not rated	
Os: Osier-----	88	Very limited Depth to saturated zone Filtering capacity Flooding	1.00 1.00 0.40	Very limited Seepage Flooding	1.00 0.40
Pm: Pocomoke-----	72	Very limited Ponding Depth to saturated zone Restricted permeability	1.00 1.00 0.46	Very limited Ponding Seepage	1.00 1.00
Pt: Portsmouth-----	90	Very limited Depth to saturated zone Filtering capacity Restricted permeability Flooding	1.00 1.00 0.46 0.40	Very limited Seepage Flooding	1.00 0.40
RuA: Rumford-----	80	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
RuB: Rumford-----	85	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
RuC: Rumford-----	85	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
Ry: Rutlege-----	80	Very limited Depth to saturated zone Filtering capacity Flooding	1.00 1.00 0.40	Very limited Seepage Flooding	1.00 0.40

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SaA: Sassafras-----	80	Very limited Filtering capacity Restricted permeability	1.00 0.72	Very limited Seepage	1.00
SaB: Sassafras-----	95	Very limited Filtering capacity Restricted permeability	1.00 0.72	Very limited Seepage Slope	1.00 0.32
SaC2: Sassafras-----	80	Very limited Filtering capacity Restricted permeability	1.00 0.72	Very limited Slope Seepage	1.00 1.00
SaD: Sassafras-----	80	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.72	Very limited Slope Seepage	1.00 1.00
SfA: Sassafras-----	80	Very limited Filtering capacity Restricted permeability	1.00 0.72	Very limited Seepage	1.00
SfB: Sassafras-----	85	Very limited Filtering capacity Restricted permeability	1.00 0.72	Very limited Seepage Slope	1.00 0.32
Sw: Swamp-----	75	Not rated		Not rated	
Tf: Tidal Marsh-----	75	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Tm: Tidal Marsh-----	90	Not rated		Not rated	
Wo: Woodstown-----	85	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
Ws: Woodstown-----	85	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00

