

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Bd: Berryland-----	85	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness Sandiness	1.00 0.50
Bo: Borrow Pits-----	70	Not rated		Not rated		Not rated	
Co: Dune Land-----	60	Not rated		Not rated		Not rated	
Coastal Beach-----	40	Not rated		Not rated		Not rated	
El: Elkton-----	90	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness	1.00
Em: Elkton-----	85	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
EoB: Evesboro-----	80	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Moderately suited Sandiness	0.50
EoD: Evesboro-----	90	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.62	Moderately suited Slope Sandiness	0.50 0.50
EsD: Evesboro-----	80	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.62	Moderately suited Slope Sandiness	0.50 0.50
EvA: Evesboro-----	60	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Moderately suited Sandiness	0.50
EvB: Evesboro-----	77	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Moderately suited Sandiness	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fa: Fallsington-----	85	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Fs: Fallsington-----	88	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Ft: Fill Land-----	85	Not rated		Not rated		Not rated	
Jo: Johnston-----	70	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Flooding Wetness Strength	1.00 1.00 0.50
Ka: Kalmia-----	75	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
KbA: Kenansville-----	84	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Well suited	
KbB: Kenansville-----	85	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Well suited	
KfA: Keyport-----	85	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
KfB2: Keyport-----	90	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Well suited	
Kl: Klej-----	85	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Moderately suited Wetness	0.50
Mm: Matawan-----	90	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
Mn: Matawan-----	88	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
Mu: Muck-----	90	Not rated		Not rated		Not rated	

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Os: Osier-----	88	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness Sandiness	1.00 0.50
Pm: Pocomoke-----	72	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness Strength	1.00 0.50
Pt: Portsmouth-----	90	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
RuA: Rumford-----	80	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Well suited	
RuB: Rumford-----	85	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Well suited	
RuC: Rumford-----	85	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Slope	0.50
Ry: Rutlege-----	80	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness	1.00
SaA: Sassafras-----	80	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
SaB: Sassafras-----	95	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Well suited	
SaC2: Sassafras-----	80	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50
SaD: Sassafras-----	80	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
SfA: Sassafras-----	80	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
SfB: Sassafras-----	85	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sw: Swamp-----	75	Not rated		Not rated		Not rated	
Tf: Tidal Marsh-----	75	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	90	Not rated		Not rated		Not rated	
Wo: Woodstown-----	85	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
Ws: Woodstown-----	85	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50

