


# Physical Chemistry

## Lecture 9 Introduction to Quantum Mechanics

### The energy "problem"

- ◆ Early experiments
  - Observed only certain emission frequencies
  - Spectra of atoms
    - H and other atoms
  - Colors of mineral solutions
- ◆ Scientists involved have very familiar names
  - Angstrom
  - Balmer
  - Bunsen
  - Fraunhofer
  - Kirchoff
  - Rydberg



### Other "problems"

- ◆ Planck's theory of blackbody radiation
  - Inferred quantization of modes of a cavity
- ◆ Bohr's theory of the H atom
  - Rejected classical electrodynamics to interpret Rydberg's observation
  - Quantization of energy
- ◆ DeBroglie's hypothesis
  - Quantized electron momentum to explain a variety of effects



$$E = h\nu$$

$$\nu = \Re\left(\frac{1}{n^2} - \frac{1}{m^2}\right)$$

$$p = N\hbar$$


### Photoelectric effect

- ◆ Light ejects electrons from a metal plate
  - No emission below a minimum frequency
  - Number of electrons emitted is proportional to the intensity
- ◆ Electron kinetic energy
  - Does not depend on light intensity
  - Depends linearly on the frequency above the threshold frequency
  - Slope of line gives Planck's constant



### Diffraction by particles


- ◆ Diffraction is a property of waves
- ◆ Davisson and Germer demonstrated that electrons (particles) interacting with matter act as if they diffract like waves
- ◆ Further example of wave-particle duality



Diffraction pattern from electrons interacting with crystalline cobalt

### Classical mechanics and states

- ◆ In mechanics, one describes precisely
  - Where particles are
  - Where particles are going
  - subject to forces
- ◆ The system's **state** is completely defined by the positions and momenta of all particles -- **trajectories**
- ◆ Everything is absolutely determined by forces and initial conditions



$$v(t) = v(0) + \frac{1}{m} \int_0^t F(t') dt'$$


$$r(t) = r(0) + \int_0^t v(t') dt'$$

## Heisenberg's uncertainty principle

- ◆ There is no way to measure simultaneously with infinite precision the position and the conjugate momentum of a particle

- Cannot know trajectories exactly
- Cannot describe a system as precisely as with classical mechanics

- ◆ Inherent property of all systems
- ◆ Theory must reflect this property



## Quantum mechanical state

- ◆ Heisenberg's principle eliminates the correspondence of position and momentum to "state" inherent to classical physics
- ◆ Obvious that one needs a definition of state of a quantum system
  - The "state" of a system is given by a function of the positions of particles, but it is not the trajectory under definite forces
  - Function gives all possible information on a system
  - Properties found by operation
  - Definition builds in the restriction of limited information, consistent with Heisenberg's observation
- ◆ Born's idea: State is related to the probability of a particular condition, since we cannot know positions and momenta precisely.

## Schroedinger's equation

- ◆ Chemists primarily interested in systems with constant energy
- ◆ Need a means (like Newton's equations for classical mechanics) to determine the state of constant energy
- ◆ Functions corresponding to constant qualities found from eigenvalue equations

$$H\Psi = E\Psi$$

## Summary

- ◆ Early experiments showed that many systems, particularly small systems, could only have certain energies
- ◆ Agreement with observation achieved by "violating" classical mechanics
- ◆ Uncertainty principle recognizes the wave nature of particles and the inability to use deterministic mechanics
- ◆ Totally new theory required
  - Definition of state
  - Operators for properties
  - Eigenvalue equations for property values