

## Chemistry 652

### Organometallic Chemistry

Final Examination, May 25, 2009

Please write your answers directly in the spaces provided.

Name: \_\_\_\_\_

1) \_\_\_\_\_

2) \_\_\_\_\_

3) \_\_\_\_\_

4) \_\_\_\_\_

5) \_\_\_\_\_

6) \_\_\_\_\_






7) \_\_\_\_\_

8) \_\_\_\_\_

Total: \_\_\_\_\_ /100

*Enjoy a productive summer*

- 1) (15 points) For the following organometallic molecules, give a) the valence electron count, b) the formal oxidation state of the metal, and c) provide a synthesis starting with readily available starting materials.



2) (15 points) Write balanced reaction equations showing actual examples of the following common organometallic reactions:

a) Nucleophilic addition to a coordinated ligand

b) Binuclear reductive elimination

c) Electrophilic C-H activation

d)  $\alpha$ -hydrogen elimination

e) Ring opening metathesis polymerization (ROMP)



- 4) (10 points) Based on collaborative research with researchers at UNC Chapel Hill, DuPont has developed a family of late transition metal ethylene polymerization catalysts under the trade name of Versipol™.
- a) Draw a prototypical structure of a catalyst belonging to this family. Specify the metal, the structure of the ligand, the charge, etc. Name the chemists at UNC, who was involved.
- b) Ultimately, these catalysts did not become a commercial success, because the polymers exhibited inferior physical properties. What is the typical microstructure of the polymers produced by Versipol™ catalysts, and what is the mechanism by which it arises.

5) (15 points) The hydroformylation of  $\alpha$ -olefins is one of the largest homogeneously catalyzed processes practiced by the chemical industry


a) Write a balanced reaction equation for the hydroformylation of propene, showing both possible products and indicate the catalysts used.

b) Draw a catalytic cycle showing the mechanism of this reaction

c) One of the two products is the more valuable one. What determines the selectivity between the two, and how might it be influenced to increase the yield of the more valuable product?

- 6) (10 points) Stoichiometric reactions of certain organometallic compounds with organic molecules represent useful synthetic organic transformations. For example: what is the product of a 'Dötz reaction' of  $(OC)_5Cr=C(OEt)(p\text{-tolyl})$  with 3-hexyne? Draw structures of likely intermediates to arrive at the final structure.

7) (10 points) Consider this pseudo-octahedral ethylene complex of osmium. At +80 °C, the  $^{31}\text{P}$ -decoupled  $^1\text{H}$  NMR spectrum of this complex in solution with an equimolar amount of added ethylene shows a single sharp line at 6.0 ppm (ignoring the  $\text{PMe}_3$  and  $\text{PPh}_3$  resonances).



- Cooling this solution to 0 °C results in the splitting of this resonance into a single line at 4.9 ppm (about where free ethylene is observed) and two doublets at 7.5 ( $J = 2$  Hz) and 6.7 ( $J = 2$  Hz) ppm.
- Upon cooling to -80 oC, the two doublets split further into a complex multiplet.

Explain these observations. Label the hydrogens and use structural drawings indicating what is happening.

7) (10 points) Random organometallic chemistry facts:

a) The first organometallic compound – Zeise's salt was discovered in:

i) 1932      ii) 1827      iii) 1492

b) Coordination of dihydrogen to a metal makes it i) more acidic, ii) enriched in deuterium, or iii) paramagnetic

c) Estimate the C-O bond distance in a typical metal carbonyl in units of Å.

d) What does the acronym NHC stand for? Draw a structure of an example.

e) The cyclopentadienyl ligand (Cp) is **NOT**: a good  $\pi$ -acceptor, a strong  $\sigma$ -donor, a good  $\pi$ -donor?

f) The 18-electron rule applies most rigorously to i) metal oxides, ii) actinide metal aquo ions, or iii) homoleptic metal carbonyls?

g) The  $\alpha$ -carbon of Schrock type alkylidenes is i) electrophilic, ii) nucleophilic, or iii) Lewis-acidic?

h) Catalytic olefin isomerization produces i) pure a-olefins, ii) pure trans-olefins, or iii) a mixture of all possible isomers.

i) Metal-alkyl bond strength i) vary randomly, ii) increase, or iii) decrease upon going down in a group. (e. g., Co  $\rightarrow$  Rh  $\rightarrow$  Ir)?

j) Which of the following is not a stable (isolable) compound/ion:

i)  $\text{WMe}_6$       iii)  $[\text{VH}_6]^-$       iii)  $[\text{ReH}_9]^{2-}$       iv)  $[\text{ZrMe}_6]^{2-}$